

	Micropteroidea	
	Micropterigidae	
	<i>Micropterix</i> Hübner, 1825	
	<i>aruncella</i> (Scopoli, 1763)	
	<i>aureatella</i> (Scopoli, 1763)	
	<i>calthella</i> (Linnaeus, 1761)	
	<i>mansuetella</i> Zeller, 1844	
	<i>tunbergella</i> (Fabricius, 1787)	
	Eriocranioidea	
	Eriocraniidae	
	<i>Eriocrania</i> Zeller, 1851	
	<i>subpurpurella</i> (Haworth, 1828)	
	<i>chrysolepidella</i> Zeller, 1851	
	<i>unimaculella</i> (Zetterstedt, 1839)	
	<i>sparrmannella</i> (Bosc, 1791)	
	<i>cicatricella</i> (Zetterstedt, 1839)	
	<i>sangii</i> (Wood, 1891) 1	
	<i>semipurpurella</i> (Stephens, 1835)	
	Hepialoidea	
	Hepialidae	
	<i>Gazoryctra</i> Hübner, 1820	
	<i>Triodia</i> Hübner, 1820	
	<i>sylvinus</i> (Linnaeus, 1761)	
	<i>Korscheltellus</i> Börner, 1920	
	<i>lupulinus</i> (Linnaeus, 1758) 2	
	<i>Pharmacis</i> Hübner, 1820	
	<i>fuscobulbosus</i> (DeGeer, 1778)	
	<i>Phymatopus</i> Wallengren, 1869	
	<i>hectus</i> (Linnaeus, 1758)	
	<i>Hepialus</i> Fabricius, 1775	
	<i>humuli</i> (Linnaeus, 1758)	
	Nepticuloidea	
	Nepticulidae	
	<i>Enteucha</i> Meyrick, 1915	
	<i>acetosae</i> (Stainton, 1854)	
	<i>Stigmella</i> Schrank, 1802 3, 4, 5	
	<i>lapponica</i> (Wocke, 1802)	
	<i>confusella</i> (Wood & Walsingham, 1894)	
	<i>tiliae</i> (Frey, 1856)	
	<i>betulicola</i> (Stainton, 1856)	
	<i>luteella</i> (Stainton, 1857)	
	<i>glutinosae</i> (Stainton, 1858)	

<i>alnetella</i> (Stainton, 1856)	
<i>microtheriella</i> (Stainton, 1854)	
<i>aceris</i> (Frey, 1857)	
<i>malella</i> (Stainton, 1854)	
<i>catharticella</i> (Stainton, 1853)	
<i>anomalella</i> (Goeze, 1783)	
<i>centifoliella</i> (Zeller, 1848)	
<i>ulmivora</i> (Fologne, 1860)	
<i>crataegella</i> (Klimesch, 1936)	
<i>magdalenae</i> (Klimesch, 1950)	
<i>nylandriella</i> (Tengström, 1848)	
<i>oxyacanthella</i> (Stainton, 1854)	
<i>floslactella</i> (Haworth, 1828)	
<i>salicis</i> (Stainton, 1854)	
<i>myrtillella</i> (Stainton, 1857)	
<i>obliquella</i> (Heinemann, 1862)	
<i>trimaculella</i> (Haworth, 1828)	
<i>assimilella</i> (Zeller, 1848)	
<i>sorbi</i> (Stainton, 1861)	
<i>plagicolella</i> (Stainton, 1854)	
<i>lemniscella</i> (Zeller, 1839)	
<i>continuella</i> (Stainton, 1856)	
<i>splendidissimella</i> (Herrich-Schäffer, 1855)	
<i>pretiosa</i> (Heinemann, 1862)	
<i>aeneofasciella</i> (Herrich-Schäffer, 1855)	
<i>poterii</i> (Stainton, 1857)	
<i>filipendulae</i> (Wocke, 1871)	
<i>ulmariae</i> (Wocke, 1879)	6
<i>lediella</i> (Schleich, 1867)	
<i>incognitella</i> (Herrich-Schäffer, 1855)	
<i>perpygmaeella</i> (Doubleday, 1859)	
<i>lonicerarum</i> (Frey, 1856)	
<i>basiguttella</i> (Heinemann, 1862)	
<i>svenssoni</i> (Johansson, 1971)	7
<i>ruficapitella</i> (Haworth, 1828)	
<i>samiatella</i> (Zeller, 1839)	
<i>roborella</i> (Johansson, 1971)	9
<i>Trifurcula</i> Zeller, 1848	
<i>headleyella</i> (Stainton, 1854)	
<i>subnitidella</i> (Duponchel, 1843)	
<i>Bohemannia</i> Stainton, 1859	
<i>pulverosella</i> (Stainton, 1849)	
<i>Ectoedemia</i> Busck, 1907	
<i>sericopeza</i> (Zeller, 1839)	10
<i>albibimaculella</i> (Larsen, 1927)	11
<i>weaveri</i> (Stainton, 1855)	
<i>septembrella</i> (Stainton, 1849)	
<i>longicaudella</i> Klimesch, 1953	12
<i>intimella</i> (Zeller, 1848)	
<i>turbidella</i> (Zeller, 1848)	
<i>argyropeza</i> (Zeller, 1839)	
<i>albifasciella</i> (Heinemann, 1871)	
<i>subbimaculella</i> (Haworth, 1828)	

<i>agrimoniae</i> (Frey, 1858)	13	
<i>atricollis</i> (Stainton, 1857)		
<i>arcuatella</i> (Herrich-Schäffer, 1855)		
<i>rubivora</i> (Wocke, 1860)		
<i>occultella</i> (Linnaeus, 1767)		
<i>minimella</i> (Zetterstedt, 1839)		
Opostegidae		
Oposteginae		
<i>Opostega</i> Zeller, 1839		
<i>salaciella</i> (Treitschke, 1833)		
<i>Pseudopostega</i> Kozlov, 1985		
<i>auritella</i> (Hübner, 1813)	14	
<i>crepusculella</i> (Zeller, 1839)		
Incurvarioidea		
Heliozelidae		
<i>Antispila</i> Hübner, 1825		
<i>metallella</i> (D. & S., 1775)		
<i>Heliozela</i> Herrich-Schäffer, 1853		
<i>sericiella</i> (Haworth, 1828)		
<i>resplendella</i> (Stainton, 1851)		
Adelidae		
<i>Nemophora</i> Hoffmannsegg, 1798		
<i>degeerella</i> (Linnaeus, 1758)		
<i>metallica</i> (Poda, 1761)		
<i>cupriacella</i> (Hübner, 1819)		
<i>fasciella</i> (Fabricius, 1775)		
<i>dumerilella</i> (Duponchel, 1839)		
<i>Adela</i> Latreille, 1796		
<i>reaumurella</i> (Linnaeus, 1758)		
<i>cuprella</i> (D. & S., 1775)		
<i>croesella</i> (Scopoli, 1763)		
<i>Cauchas</i> Zeller, 1839		
<i>fibulella</i> (D. & S., 1775)		
<i>rufimitrella</i> (Scopoli, 1763)		
<i>Nematopogon</i> Zeller, 1839		
<i>pilellus</i> (D. & S., 1775)		
<i>schwarziellus</i> Zeller, 1839		
<i>magnus</i> (Zeller, 1878)	15	
<i>metaxellus</i> (Hübner, 1813)		
<i>swammerdamellus</i> (Linnaeus, 1758)		
<i>robertellus</i> (Clerck, 1759)		

	Prodoxidae	
	<i>Lampronia</i> Stephens, 1829	
	<i>capitella</i> (Clerck, 1759)	
	<i>luzella</i> (D. & S., 1775)	16
	<i>corticella</i> (Linnaeus, 1758)	
	<i>morosa</i> Zeller, 1852	
	<i>flavimitrella</i> (Hübner, 1817)	
	<i>redimitella</i> (Lienig & Zeller, 1846)	
	<i>rupella</i> (Tengström, 1848)	
	<i>fuscatella</i> (Tengström, 1848)	17
	Incurvariidae	
	<i>Alloclementia</i> Nielsen, 1981	
	<i>mesospilella</i> (Herrich-Schäffer, 1854)	
	<i>Incurvaria</i> Haworth, 1828	
	<i>pectinea</i> Haworth, 1828	
	<i>masculella</i> (D. & S., 1775)	
	<i>oehlmanniella</i> (Hübner, 1796)	
	<i>praelatella</i> (D. & S., 1775)	
	<i>Phylloporia</i> Heinemann, 1870	
	<i>bistrigella</i> (Haworth, 1828)	
	Tischerioidea	
	Tischeriidae	
	<i>Tischeria</i> Zeller, 1839	
	<i>ekebladella</i> (Bjerkander, 1795)	
	<i>dodonaea</i> Stainton, 1858	
	<i>Emmetia</i> Leraut, 1993	
	<i>heinemanni</i> (Wocke, 1871)	
	Tineoidea	
	Tineidae	
	Myrmecozelinae	
	<i>Myrmecozela</i> Zeller, 1852	
	<i>ochraceella</i> (Tengström, 1848)	
	<i>Haplotinea</i> Diakonoff & Hinton, 1956	
	<i>insectella</i> (Fabricius, 1794)	
	Meessiinae	
	<i>Infurcitinea</i> Spuler, 1910	
	<i>ignicomella</i> (Heydenreich, 1851)	

<i>argentimaculella</i> (Stainton, 1849)	18	
<i>Stenoptinea</i> Dietz, 1905		
<i>cyaneimarmorella</i> (Millière, 1854)	19	
<i>Agnathosia</i> Amsel, 1954		
<i>mendicella</i> (D. & S., 1775)		
Scardiinae		
<i>Montescardia</i> Amsel, 1952		
<i>tessulatella</i> (Zeller, 1846)		
<i>Scardia</i> Treitschke, 1830		
<i>boletella</i> (Fabricius, 1794)		
<i>Morphaga</i> Herrich-Schäffer, 1854		
<i>choragella</i> (D. & S., 1775)		
Nemapogoninae		
<i>Triaxomera</i> Zaguljaev, 1959		
<i>fulvimitrella</i> (Sodoffsky, 1830)		
<i>parasitella</i> (Hübner, 1796)	20	
<i>Archinemapogon</i> Zaguljaev, 1962		
<i>yildizae</i> Koçak, 1981		
<i>Nemaxera</i> Zaguljaev, 1964		
<i>betulinella</i> (Paykull, 1785)		
<i>Nemapogon</i> Schrank, 1802		
<i>granellus</i> (Linnaeus, 1758)		
<i>cloacellus</i> (Haworth, 1828)		
<i>wolffiellus</i> Karsholt & Nielsen, 1976		
<i>variattellus</i> (Clemens, 1859)		
<i>clematellus</i> (Fabricius, 1781)		
<i>fungivorellus</i> (Benander, 1939)		
<i>picarellus</i> (Clerck, 1759)		
<i>nigralbellus</i> (Zeller, 1839)		
Tineinae		
<i>Trichophaga</i> Ragonot, 1894		
<i>tapetzella</i> (Linnaeus, 1758)		
<i>Elatobia</i> Herrich-Schäffer, 1853		
<i>fuliginosella</i> (Lienig & Zeller, 1846)	21	
<i>Tineola</i> Herrich-Schäffer, 1853		
<i>bisselliella</i> (Hummel, 1823)		

	<i>Tinea</i> Linnaeus, 1758	
	<i>pellionella</i> Linnaeus, 1758	
	<i>bothniella</i> Svensson, 1953	
	<i>steueri</i> G. Petersen, 1966	22
	<i>columbariella</i> Wocke, 1877	
	<i>svenssoni</i> Opheim, 1965	
	<i>semifulvella</i> Haworth, 1828	
	<i>trinitella</i> Thunberg, 1794	
	<i>Niditinea</i> G. Petersen, 1957	
	<i>fuscella</i> (Linnaeus, 1758)	
	<i>striolella</i> (Matsumura, 1931)	
	<i>truncicolella</i> (Tengström, 1848)	
	<i>Monopis</i> Hübner, 1825	
	<i>laevigella</i> (D. & S., 1775)	
	<i>weaverella</i> (Scott, 1858)	
	<i>spilotella</i> (Tengström, 1848)	
	<i>obviella</i> (D. & S., 1775)	
	<i>imella</i> (Hübner, 1813)	
	<i>monachella</i> (Hübner, 1796)	
	<i>fenestratella</i> (Heyden, 1863)	23
	Lypusidae	
	<i>Lypusa</i> Zeller, 1852	
	<i>maurella</i> (D. & S., 1775)	
	Psychidae	
	Naryciinae	
	<i>Diplodoma</i> Zeller, 1852	
	<i>laichartingellum</i> (Goeze, 1783)	
	<i>Dahlica</i> Enderlein, 1912	
	<i>triquetrella</i> (Hübner, 1813)	
	<i>lichenella</i> (Linnaeus, 1761)	
	<i>fumosella</i> (Heinemann, 1870)	
	<i>fennicella</i> (Suomalainen, 1980)	
	<i>charlottae</i> (Meier, 1957)	
	<i>Siederia</i> Meier, 1953	
	<i>cembrella</i> (Linnaeus, 1761)	
	<i>rupicolella</i> (Sauter, 1954)	
	Taleporiinae	
	<i>Taleporia</i> Hübner, 1825	
	<i>tubulosa</i> (Retzius, 1783)	

	Bucculatricidae	
	<i>Bucculatrix</i> (Zeller, 1839)	
	<i>albedinella</i> (Zeller, 1839)	
	<i>argentsignella</i> Herrich-Schäffer, 1855	
	<i>artemisiella</i> Herrich-Schäffer, 1855	
	<i>bechsteinella</i> (Bechstein & Scharf., 1805)	
	<i>cidarella</i> (Zeller, 1839)	
	<i>crisatella</i> (Zeller, 1839)	
	<i>demaryella</i> (Duponchel, 1840)	
	<i>frangutella</i> (Goeze, 1783)	
	<i>latviaella</i> (Šulcs, 1990)	
	<i>maritima</i> Stainton, 1851	
	<i>nigricomella</i> (Zeller, 1839)	
	<i>noltei</i> Petry, 1912	26
	<i>ratisbonensis</i> Stainton, 1861	
	<i>thoracella</i> (Thunberg, 1794)	
	<i>ulmella</i> Zeller, 1848	
	Gracillariidae	
	Gracillariinae	
	<i>Parectopa</i> Clemens, 1860	
	<i>ononidis</i> (Zeller, 1839)	
	<i>Caloptilia</i> Hübner, 1825	
	<i>alchimiella</i> (Scopoli, 1763)	
	<i>betulicola</i> (M.Hering, 1928)	
	<i>cuculipemella</i> (Hübner, 1796)	
	<i>elongella</i> (Linnaeus, 1761)	
	<i>falconipennella</i> (Hübner, 1813)	
	<i>hemidactylella</i> (D. & S., 1775)	
	<i>populetorum</i> (Zeller, 1839)	
	<i>robustella</i> Jäckh, 1972	27
	<i>semifascia</i> (Haworth, 1828)	
	<i>stigmatella</i> (Fabricius, 1781)	
	<i>suberinella</i> (Tengström, 1848)	
	<i>Gracillaria</i> Haworth, 1828	
	<i>syringella</i> (Fabricius, 1794)	
	<i>Aspilapteryx</i> Spuler, 1910	
	<i>tringipennella</i> (Zeller, 1839)	
	<i>Euspilapteryx</i> Stephens, 1835	
	<i>auroguttella</i> (Stephens, 1835)	
	<i>Calybites</i> Hübner, 1822	
	<i>phasianipennellus</i> (Hübner, 1813)	
	<i>Povolnya</i> Kuznetsov, 1979	
	<i>leucapennella</i> (Stephens, 1835)	

	<i>Acrocercops</i> Wallengren, 1881	
	<i>brongniardellus</i> (Fabricius, 1798)	28
	<i>Dialectica</i> Walsingham, 1897	
	<i>imperialella</i> (Zeller, 1847)	29
	<i>Leucospilapteryx</i> Spuler, 1910	
	<i>omissella</i> (Stainton, 1848)	30
	<i>Ornixola</i> Kuznetsov, 1979	
	<i>caudulatella</i> (Zeller, 1839)	31
	<i>Callisto</i> Stephens, 1834	
	<i>denticulella</i> (Thunberg, 1794)	
	<i>insperatella</i> (Nickerl, 1864)	
	<i>Parornix</i> Spuler, 1910	
	<i>anglicella</i> (Stainton, 1850)	
	<i>betulae</i> (Stainton, 1850)	
	<i>devoniella</i> (Stainton, 1850)	
	<i>loganella</i> (Stainton, 1848)	
	<i>polygrammella</i> (Wocke, 1862)	
	<i>scoticella</i> (Stainton, 1850)	
	<i>traugotti</i> Svensson, 1976	32
	Lithocolletinae	
	<i>Phyllonorycter</i> Hübner, 1822	33
	<i>anderidae</i> (W.Fletcher, 1875)	
	<i>apparellus</i> (Herrich-Schäffer, 1855)	
	<i>blancardellus</i> (Fabricius, 1781)	
	<i>cavellus</i> (Zeller, 1846)	
	<i>cerasicoellus</i> (Herrich-Schäffer, 1855) ³⁴	
	<i>connexellus</i> (Zeller, 1846)	
	<i>coryli</i> (Nicelli, 1851)	
	<i>corylifoliellus</i> (Hübner, 1796)	
	<i>dubitellus</i> (Herrich-Schäffer, 1855)	36
	<i>emberizaepenellus</i> (Bouche, 1834)	
	<i>froelichiellus</i> (Zeller, 1839)	
	<i>harrisellus</i> (Linnaeus, 1761)	
	<i>heegeriellus</i> (Zeller, 1846)	
	<i>heringiellus</i> (Grönlien, 1932)	
	<i>hilarellus</i> (Zetterstedt, 1839)	
	<i>insignitellus</i> (Zeller, 1846)	
	<i>issikii</i> (Kumata, 1963)	37
	<i>junoniellus</i> (Zeller, 1846)	
	<i>kleemannellus</i> (Fabricius, 1781)	
	<i>lantanellus</i> (Schränk, 1802)	
	<i>lautellus</i> (Zeller, 1846)	
	<i>nicellii</i> (Stainton, 1851)	
	<i>nigrescentellus</i> (Logan, 1851)	
	<i>oxyacanthae</i> (Frey, 1856)	
	<i>pastorellus</i> (Zeller, 1846)	
	<i>platanoidellus</i> (Joannis, 1920)	38
	<i>populifoliellus</i> (Treitschke, 1833)	

<i>quercifoliellus</i> (Zeller, 1839)	
<i>quinqueguttellus</i> (Stainton, 1851)	39
<i>rajellus</i> (Linnaeus, 1758)	
<i>roboris</i> (Zeller, 1839)	
<i>sagitellus</i> (Bjerkander, 1790)	
<i>salicicolellus</i> (Sircom, 1848)	
<i>salictellus</i> (Zeller, 1846)	
<i>sorbi</i> (Frey, 1855)	
<i>spinicolellus</i> (Zeller, 1846)	
<i>stettinensis</i> (Nicelli, 1852)	
<i>strigulatellus</i> (Lienig & Zeller, 1846)	
<i>trifoliellus</i> (Gerasimov, 1933)	40
<i>tristrigellus</i> (Haworth, 1828)	
<i>ulmifoliellus</i> (Hübner, 1817)	
<i>Cameraria</i> Chapman, 1902	
<i>ohridella</i> Deschka & Dimić, 1986	41
Phyllocnistinae	
<i>Phyllocnistis</i> Zeller, 1848	
<i>labyrinthella</i> (Bjerkander, 1790)	
<i>saligna</i> (Zeller, 1839)	42
<i>unipunctella</i> (Stephens, 1834)	
Yponomeutoidea	
Yponomeutidae	
Scythropiinae	
<i>Scythropia</i> Hübner, 1825	
<i>crataegella</i> (Linnaeus, 1758)	
Yponomeutinae	
<i>Yponomeuta</i> Latreille, 1796	
<i>evonymellus</i> (Linnaeus, 1758)	
<i>padellus</i> (Linnaeus, 1758)	
<i>malinellus</i> Zeller, 1838	
<i>cagnagellus</i> (Hübner, 1813)	
<i>plumbellus</i> (D. & S., 1775)	
<i>sedellus</i> Treitschke, 1833	
<i>Zelleria</i> Stainton, 1849	
<i>hepariella</i> Stainton, 1849	43
<i>Euhyponomeutoides</i> Gaj, 1954	
<i>albithoracellus</i> Gaj, 1954	
<i>ribesiellus</i> (Joannis, 1900)	44
<i>Kessleria</i> Nowicki, 1864	
<i>fasciapennella</i> (Stainton, 1849)	

	<i>Swammerdamia</i> Hübner, 1825	
	<i>caesiella</i> (Hübner, 1796)	
	<i>passerella</i> (Zetterstedt, 1839)	
	<i>compunctella</i> (Herrich-Schäffer, 1855)	
	<i>pyrella</i> (Villers, 1789)	
	<i>Paraswammerdamia</i> Friese, 1960	
	<i>albicapitella</i> (Scharfenberg, 1805)	
	<i>conspersella</i> (Tengström, 1848)	
	<i>lutarea</i> (Haworth, 1828)	
	<i>Cedestis</i> Zeller, 1839	
	<i>gysseleniella</i> Zeller, 1839	
	<i>subfasciella</i> (Stephens, 1834)	
	<i>Ocnerostoma</i> Zeller, 1839	
	<i>piniariellum</i> Zeller, 1847	
	<i>friesei</i> Svensson, 1966	
	Praydinae	
	<i>Atemelia</i> Herrich-Schäffer, 1853	
	<i>torquatella</i> (Lienig & Zeller, 1846)	
	<i>Prays</i> Hübner, 1825	
	<i>fraxinellus</i> (Bjerkander, 1784)	
	<i>ruficeps</i> (Heinemann, 1854)	
	Argyresthiinae	
	<i>Argyresthia</i> Hübner, 1825	45
	<i>laevigatella</i> (Heydenreich, 1851)	
	<i>glabratella</i> (Zeller, 1847)	
	<i>bergiella</i> (Ratzeburg, 1840)	
	<i>praecocella</i> Zeller, 1839	
	<i>arceuthina</i> Zeller, 1839	46
	<i>dilectella</i> Zeller, 1847	
	<i>abdominalis</i> Zeller, 1839	
	<i>aurulentella</i> Stainton, 1849	
	<i>ivella</i> (Haworth, 1828)	
	<i>brockeella</i> (Hübner, 1813)	
	<i>goedartella</i> (Linnaeus, 1758)	
	<i>pygmaeella</i> (D. & S., 1775)	
	<i>sorbiella</i> (Treitschke, 1833)	
	<i>curvella</i> (Linnaeus, 1761)	
	<i>retinella</i> Zeller, 1839	
	<i>glaucinella</i> Zeller, 1839	
	<i>spinosella</i> Stainton, 1849	
	<i>conjugella</i> Zeller, 1839	
	<i>pulchella</i> Lienig & Zeller, 1846	
	<i>semifusca</i> (Haworth, 1828)	
	<i>pruniella</i> (Clerck, 1759)	
	<i>bonnetella</i> (Linnaeus, 1758)	
	<i>albistria</i> (Haworth, 1828)	47

	Ypsolophidae	
	Ypsolophinae	
	<i>Ypsolopha</i> Latreille, 1796	
	<i>mucronella</i> (Scopoli, 1763)	
	<i>nemorella</i> (Linnaeus, 1758)	
	<i>dentella</i> (Fabricius, 1775)	
	<i>falcella</i> (D. & S., 1775)	
	<i>asperella</i> (Linnaeus, 1761)	
	<i>blandella</i> (Christoph, 1882)	
	<i>scabrella</i> (Linnaeus, 1761)	
	<i>horridella</i> (Treitschke, 1835)	
	<i>lucella</i> (Fabricius, 1775)	
	<i>sylvella</i> (Linnaeus, 1767)	
	<i>parenthesella</i> (Linnaeus, 1761)	
	<i>ustella</i> (Clerck, 1759)	
	<i>sequella</i> (Clerck, 1759)	
	<i>vittella</i> (Linnaeus, 1758)	
	<i>sarmaticella</i> (Rebel, 1917)	48
	Ochsenheimeriinae	
	<i>Ochsenheimeria</i> Hübner, 1825	
	<i>taurella</i> (D. & S., 1775)	49
	<i>urella</i> Fisch. v. Rösl., 1842	
	<i>vacculella</i> Fisch. v. Rösl., 1842	
	Plutellidae	
	<i>Plutella</i> Schrank, 1802	
	<i>xylostella</i> (Linnaeus, 1758)	
	<i>porrectella</i> (Linnaeus, 1758)	
	<i>Rhigognostis</i> Zeller, 1857	
	<i>schmaltzella</i> (Zetterstedt, 1839)	
	<i>incarnatella</i> (Steudel, 1873)	
	<i>Eidophasia</i> Stephens, 1842	
	<i>messingiella</i> (Fisch. v. Rösl., 1842)	
	Acrolepiidae	
	<i>Digitivalva</i> Gaedike, 1970	
	<i>reticulella</i> (Hübner, 1796)	
	<i>Acrolepiopsis</i> Gaedike, 1970	
	<i>assectella</i> (Zeller, 1839)	
	<i>Acrolepia</i> Curtis, 1838	
	<i>autummitella</i> Curtis, 1838	

	Oecophorinae	
	<i>Bisigna</i> Toll, 1956	
	<i>procerella</i> (D. & S., 1775)	
	<i>Schiffermuelleria</i> Hübner, 1825	
	<i>schaeffarella</i> (Linnaeus, 1758)	55
	<i>Denisia</i> Hübner, 1825	
	<i>similella</i> (Hübner, 1796)	
	<i>luticiliella</i> (Erschoff, 1877)	56
	<i>stipella</i> (Linnaeus, 1758)	
	<i>stroemella</i> (Fabricius, 1779)	57
	<i>Decantha</i> Busck, 1908	
	<i>borkhausenii</i> (Zeller, 1839)	
	<i>Metalampra</i> Toll, 1956	
	<i>cinnamomea</i> (Zeller, 1839)	
	<i>Endrosis</i> Hübner, 1825	
	<i>sarcitrella</i> (Linnaeus, 1758)	
	<i>Hoffmannophila</i> Spuler, 1910	
	<i>pseudospretella</i> (Stainton, 1849)	
	<i>Borkhausenia</i> Hübner, 1825	
	<i>minutella</i> (Linnaeus, 1758)	
	<i>fuscescens</i> (Haworth, 1828)	
	<i>luridicomella</i> (Herrich-Schäffer, 1856)	
	<i>Crassa</i> Bruand, 1850	
	<i>tinctella</i> (Hübner, 1796)	
	<i>Epicallima</i> Dyar, 1903	
	<i>formosella</i> (D. & S., 1775)	
	<i>Oecophora</i> Latreille, 1796	
	<i>bractella</i> (Linnaeus, 1758)	
	<i>Harpella</i> Schranck, 1802	
	<i>forficella</i> (Scopoli, 1763)	
	Pleurotinae	
	<i>Pleurota</i> Hübner, 1825	
	<i>bicostella</i> (Clerck, 1759)	
	<i>Aplota</i> Stephens, 1834	
	<i>nigricans</i> (Zeller, 1852)	58

Amphisbatidae	
	<i>Pseudatemelia</i> Rebel, 1910
	<i>flavifrontella</i> (D. & S., 1775)
	<i>josephinae</i> (Toll, 1956)
	<i>elsae</i> Svensson, 1982
	<i>Telechrysis</i> Toll, 1956
	<i>tripuncta</i> (Haworth, 1828)
	<i>Hypercallia</i> Stephens, 1829
	<i>citrinalis</i> (Scopoli, 1763)
	<i>Anchinia</i> Hübner, 1825
	<i>daphnella</i> (D. & S., 1775)
	<i>crystalis</i> (Scopoli, 1763)
Depressariidae	
	<i>Orophia</i> Hübner, 1825
	<i>ferrugella</i> (D. & S., 1775)
	<i>Semioscopis</i> Hübner, 1825
	<i>avellanella</i> (Hübner, 1793)
	<i>oculella</i> (Thunberg, 1794)
	<i>steinkellneriana</i> (D. & S., 1775)
	<i>strigulana</i> (Fabricius, 1787)
	<i>Levipalpus</i> Hannemann, 1953
	<i>hepatariellus</i> (Lienig & Zeller, 1846)
	<i>Exaeretia</i> Stainton, 1849
	<i>allisella</i> Stainton, 1849
	<i>praeustella</i> (Rebel, 1917)
	<i>ciniflonella</i> (Lienig & Zeller, 1846)
	<i>Agonopterix</i> Hübner, 1825
	<i>ocellana</i> (Fabricius, 1775)
	<i>assimilella</i> (Treitschke, 1832)
	<i>ciliella</i> (Stainton, 1849)
	<i>arenella</i> (D. & S., 1775)
	<i>propinquella</i> (Treitschke, 1835)
	<i>laterella</i> (D. & S., 1775)
	<i>carduella</i> (Hübner, 1817)
	<i>quadripunctata</i> (Wocke, 1857)
	<i>yeatiana</i> (Fabricius, 1781) 59
	<i>alstroemeriana</i> (Clerck, 1759)
	<i>purpurea</i> (Haworth, 1811)
	<i>hypericella</i> (Hübner, 1796)
	<i>conterminella</i> (Zeller, 1839)
	<i>heracliana</i> (Linnaeus, 1758)
	<i>capreolella</i> (Zeller, 1839)
	<i>angelicella</i> (Hübner, 1813)
	<i>astrantiae</i> (Heinemann, 1870) 60

	<i>Agonopterix</i> Hübner, 1825	
	<i>multiplicella</i> (Erschoff, 1877)	
	<i>selini</i> (Heinemann, 1870)	
	<i>parella</i> (Treitschke, 1835)	
	<i>pallorella</i> (Zeller, 1839)	
	<i>kaekeritziana</i> (Linnaeus, 1767)	
	<i>liturosa</i> (Haworth, 1811)	
	<i>nervosa</i> (Haworth, 1811)	
	<i>Depressaria</i> Haworth, 1811	
	<i>pastinacella</i> (Duponchel, 1838)	
	<i>artemisiae</i> Nickerl, 1864	
	<i>depressana</i> (Fabricius, 1775)	
	<i>chaerophylli</i> Zeller, 1839	
	<i>ultimella</i> Stainton, 1849	
	<i>silesiaca</i> Heinemann, 1870	
	<i>pimpinellae</i> Zeller, 1839	
	<i>badiella</i> (Hübner, 1796)	
	<i>libanotidella</i> Schläger, 1849	
	<i>daucella</i> (D. & S., 1775)	
	<i>sordidatella</i> Tengström, 1848	
	<i>pulcherrimella</i> Stainton, 1849	
	<i>douglasella</i> Stainton, 1849	61
	<i>emeritella</i> Stainton, 1849	
	<i>olerella</i> Zeller, 1854	
	<i>leucocephala</i> Snellen, 1884	
	Elachistidae	
	<i>Cosmiotes</i> Clemens, 1860	
	<i>consortella</i> (Stainton, 1851)	
	<i>exactella</i> (Herrich-Schäffer, 1855)	
	<i>freyerella</i> (Hübner, 1825)	
	<i>Mendesia</i> Joannis, 1902	
	<i>farinella</i> (Thunberg, 1794)	
	<i>Perrittia</i> Stainton, 1854	
	<i>herrichiella</i> (Herrich-Schäffer, 1855)	62
	<i>obscuripunctella</i> (Stainton, 1848)	63
	<i>Elachista</i> Treitschke, 1833	
	<i>adscitella</i> Stainton, 1851	
	<i>albidella</i> Nylander, 1848	
	<i>albifrontella</i> (Hübner, 1817)	
	<i>alpinella</i> Stainton, 1854	
	<i>anserinella</i> Zeller, 1839	64
	<i>apicipunctella</i> Stainton, 1849	
	<i>argentella</i> (Clerck, 1759)	
	<i>atricomella</i> Stainton, 1849	65
	<i>bisulcella</i> (Duponchel, 1843)	
	<i>bruuni</i> Traugott-Olsen, 1990	
	<i>canapennella</i> (Hübner, 1813)	
	<i>chrysodesmella</i> Zeller, 1850	
	<i>cinereopunctella</i> (Haworth, 1828)	

	<i>Elachista</i> Treitschke, 1833	
	<i>cingillella</i> (Herrich-Schäffer, 1855)	66
	<i>compsa</i> Traugott-Olsen, 1974	
	<i>diederichiella</i> E. Hering, 1889	
	<i>dispilella</i> Zeller, 1839	
	<i>elegans</i> Frey, 1859	67
	<i>eleochariella</i> Stainton, 1851	68
	<i>eskoi</i> Kyrki & Karvonen, 1985	69
	<i>fasciola</i> Parenti, 1983	70
	<i>fuscofrontella</i> Sruoga, 1990	
	<i>geminatella</i> (Herrich-Schäffer, 1855)	71
	<i>gleichnella</i> (Fabricius, 1781)	
	<i>humilis</i> Zeller, 1850	
	<i>kilmunella</i> Stainton, 1849	
	<i>littoricola</i> Le Marchand, 1938	
	<i>luticomella</i> Zeller, 1839	
	<i>megerlella</i> (Hübner, 1810)	
	<i>monosemiella</i> Rössler, 1881	
	<i>nobilella</i> Zeller, 1839	
	<i>nolckeni</i> Šulcs, 1992	
	<i>occidentalis</i> Frey, 1882	72
	<i>poae</i> Stainton, 1855	73
	<i>pollinariella</i> Zeller, 1839	
	<i>pomerana</i> Frey, 1870	
	<i>pullicomella</i> Zeller, 1839	
	<i>serricornis</i> Stainton, 1854	
	<i>subalbidella</i> Schläger, 1847	
	<i>subnigrella</i> Douglas, 1853	
	<i>subocellea</i> (Stephens, 1834)	
	<i>tengstromi</i> Kail., Beng., Šulcs & Jun., 2001	
	<i>trapeziella</i> Stainton, 1849	75
	<i>unifasciella</i> (Haworth, 1828)	76
	<i>utonella</i> Frey, 1856	
	Agonoxenidae	
	<i>Chrysoclista</i> Stainton, 1854	
	<i>linneella</i> (Clerck, 1759)	
	<i>lathamella</i> (Fletcher, 1936)	77
	<i>Heinemannia</i> Wocke, 1876	
	<i>laspeyrella</i> (Hübner, 1796)	
	<i>Blastodacna</i> Wocke, 1876	
	<i>atra</i> (Haworth, 1828)	
	Scythrididae	
	<i>Scythris</i> Hübner, 1825	78
	<i>obscorella</i> (Scopoli, 1763)	
	<i>picaepennis</i> (Haworth, 1828)	
	<i>disparella</i> (Tengström, 1848)	
	<i>palustris</i> (Zeller, 1855)	79
	<i>laminella</i> (D. & S., 1775)	

	Scythrididae	
	<i>Scythris</i> Hübner, 1825	78
	<i>sinensis</i> (Felder & Rogenhofer, 1875)	
	<i>limbella</i> (Fabricius, 1775)	
	<i>inspersella</i> (Hübner, 1817)	
	<i>empetrella</i> Karsholt & Nielsen, 1976	
	<i>siccella</i> (Zeller, 1839)	
	<i>cicadella</i> (Zeller, 1839)	
	<i>penicillata</i> (Chrétien, 1900)	
	Stathmopodidae	
	<i>Stathmopoda</i> Herrich-Schäffer, 1853	
	<i>pedella</i> (Linnaeus, 1761)	
	Batrachedridae	
	<i>Batrachedra</i> Herrich-Schäffer, 1853	
	<i>praeangusta</i> (Haworth, 1828)	
	<i>pinicolella</i> (Zeller, 1839)	
	Coleophoridae	
	<i>Augasma</i> Herrich-Schäffer, 1853	
	<i>aeratella</i> (Zeller, 1839)	
	<i>Metriotes</i> Herrich-Schäffer, 1853	
	<i>lutarea</i> (Haworth, 1828)	
	<i>Coleophora</i> Hübner, 1822	82, 87, 95
	<i>albella</i> (Thunberg, 1788)	80
	<i>lutipennella</i> (Zeller, 1838)	
	<i>gryphipennella</i> (Hübner, 1796)	81
	<i>flavipennella</i> (Duponchel, 1843)	
	<i>milvipennis</i> Zeller, 1839	
	<i>alnifoliae</i> Barasch, 1934	
	<i>badiipennella</i> (Duponchel, 1843)	
	<i>limosipennella</i> (Duponchel, 1843)	
	<i>siccifolia</i> Stainton, 1856	
	<i>serratella</i> (Linnaeus, 1761)	
	<i>spinella</i> (Schrank, 1802)	
	<i>fuscocuprella</i> Herrich-Schäffer, 1855	
	<i>arctostaphyli</i> Meder, 1934	
	<i>lusciniaepennella</i> (Treitschke, 1833)	
	<i>idaeella</i> Hofmann, 1869	
	<i>vacciniella</i> Herrich-Schäffer, 1861	83
	<i>ledi</i> Stainton, 1860	
	<i>plumbella</i> Kanerva, 1941	
	<i>vitisella</i> Gregson, 1856	
	<i>glitzella</i> O. Hofmann, 1869	
	<i>murinella</i> Tengström, 1847	

	<i>Coleophora</i> Hübner, 1822	82, 87, 95	
	<i>violacea</i> (Ström, 1783)		
	<i>potentillae</i> Elisha, 1885		
	<i>juncicolella</i> Stainton, 1851		
	<i>orbitella</i> Zeller, 1849		
	<i>binderella</i> (Kollar, 1832)		
	<i>ahenella</i> Heinemann, 1876		
	<i>albitarsella</i> Zeller, 1849		
	<i>trifolii</i> (Curtis, 1832)		
	<i>frischella</i> (Linnaeus, 1758)		
	<i>alcyonipennella</i> (Kollar, 1832)		
	<i>conyzae</i> Zeller, 1868		
	<i>lineolea</i> (Haworth, 1828)	84	
	<i>hemerobiella</i> (Scopoli, 1763)		
	<i>colutella</i> (Fabricius, 1794)		
	<i>discordella</i> Zeller, 1849		
	<i>deauratella</i> Lienig & Zeller, 1846		
	<i>mayrella</i> (Hübner, 1813)		
	<i>anatipennella</i> (Hübner, 1783)		
	<i>albidella</i> (D. & S., 1775)		
	<i>kuehnella</i> (Goeze, 1783)		
	<i>ibipennella</i> Zeller, 1849		
	<i>betulella</i> Heinemann, 1876		
	<i>currucipennella</i> Zeller, 1839		
	<i>pyrrhulipennella</i> Zeller, 1839		
	<i>brevipalpella</i> Wocke, 1874		
	<i>gallipennella</i> (Hübner, 1796)		
	<i>vibicigerella</i> Zeller, 1839		
	<i>conspicuella</i> Zeller, 1849		
	<i>ditella</i> Zeller, 1849	86	
	<i>caelebipennella</i> Zeller, 1839		
	<i>lixella</i> Zeller, 1849		
	<i>vulnerariae</i> Zeller, 1839		
	<i>laricella</i> (Hübner, 1817)		
	<i>antennariella</i> Herrich-Schäffer, 1861		
	<i>adjunctella</i> Hodgkinson, 1839		
	<i>caespititiella</i> Zeller, 1839		
	<i>tamesis</i> Waters, 1929		
	<i>glaucicolella</i> Wood, 1892		
	<i>otidipennella</i> (Hübner, 1817)		
	<i>alticolella</i> Zeller, 1849		
	<i>taeniipennella</i> Herrich-Schäffer, 1855		
	<i>virgaureae</i> Stainton, 1857	88	
	<i>therinella</i> Tengström, 1848		
	<i>saxicolella</i> (Duponchel, 1843)		
	<i>sternipennella</i> (Zetterstedt, 1839)		
	<i>boreella</i> Benander, 1939		
	<i>squamosella</i> Stainton, 1856	89	
	<i>versurella</i> Zeller, 1849		
	<i>vestianella</i> (Linnaeus, 1758)		
	<i>atriplicis</i> Meyrick, 1928		
	<i>pappiferella</i> O. Hofmann, 1869		
	<i>absinthii</i> Wocke, 1876		
	<i>carelica</i> Hackman, 1945	90	

<i>artemiscolella</i> Bruand, 1855	91	
<i>adelogrammella</i> Zeller, 1849		
<i>succursella</i> Herrich-Schäffer, 1855		
<i>gnaphalii</i> Zeller, 1839		
<i>riffelensis</i> Rebel, 1913		
<i>scabrida</i> Toll, 1959		
<i>millefolii</i> Zeller, 1849		
<i>peribenanderi</i> Toll, 1943		
<i>amellivora</i> Baldizzone, 1979		
<i>ramosella</i> Zeller, 1849		
<i>trochilella</i> (Duponchel, 1843)		
<i>directella</i> Zeller, 1849		
<i>expressella</i> Klemensiewicz, 1883		
<i>inulae</i> Wocke, 1876		
<i>striatipennella</i> Nylander, 1848		
<i>solitariella</i> Zeller, 1849		
<i>tanacetii</i> Mühlig, 1865		
<i>albicans</i> Zeller, 1849	93	
<i>hackmani</i> (Toll, 1953)		
<i>argentula</i> (Stephens, 1834)		
<i>follicularis</i> (Vallot, 1802)		
<i>granulatella</i> Zeller, 1849		
<i>adpersella</i> Benander, 1939		
<i>dianthi</i> Herrich-Schäffer, 1855		
<i>nutantella</i> Mühlig & Frey, 1857		
<i>graminicolella</i> Heinemann, 1876		
<i>paripennella</i> Zeller, 1839		
<i>squalorella</i> Zeller, 1849		
<i>salicorniae</i> Heinemann & Wocke, 1876		
Momphidae		
<i>Mompha</i> Hübner, 1825		
<i>miscella</i> (D. & S., 1775)		
<i>idaei</i> (Zeller, 1839)		
<i>langiella</i> (Hübner, 1796)		
<i>terminella</i> (Humphreys & Westwood, 1845)		
<i>locupletella</i> (D. & S., 1775)		
<i>raschiella</i> (Zeller, 1838)		
<i>sexstrigella</i> (Braun, 1921)	96	
<i>conturbatella</i> (Hübner, 1819)		
<i>ochraceella</i> (Curtis, 1839)	97	
<i>lacteella</i> (Stephens, 1834)		
<i>propinquella</i> (Stainton, 1851)		
<i>divisella</i> Herrich-Schäffer, 1854		
<i>stumipennella</i> (Treitschke, 1833)		
<i>subbistrigella</i> (Haworth, 1828)		
<i>epilobiella</i> (D. & S., 1775)		
Blastobasidae		
<i>Hypatopa</i> Walsingham, 1907		
<i>binotella</i> (Thunberg, 1794)		
<i>inunctella</i> (Zeller, 1839)	98	

	Cosmopterigidae	
	Chrysopeliinae	
	<i>Sorhagenia</i> Spuler, 1910	
	<i>rhammiella</i> (Zeller, 1839)	
	<i>janiszewskae</i> Riedl, 1962	
	<i>lophyrella</i> (Douglas, 1846)	
	Antequerinae	
	<i>Pancalia</i> Stephens, 1829	
	<i>leuwenhoekella</i> (Linnaeus, 1761)	
	<i>schwarzella</i> (Fabricius, 1798)	
	Cosmopteriginae	
	<i>Eteobalea</i> Hodges, 1962	
	<i>anonymella</i> (Riedl, 1965)	
	<i>tririvella</i> (Staudinger, 1871)	
	<i>Limnaecia</i> Stainton, 1851	
	<i>phragmitella</i> Stainton, 1851	
	<i>Cosmopterix</i> Hübner, 1825	
	<i>zieglerella</i> (Hübner, 1810)	
	<i>orichalcea</i> Stainton, 1861	
	<i>scribaiella</i> Zeller, 1850	99
	<i>lienigiella</i> Lienig & Zeller, 1846	
	Gelechiidae	110, 112
	Gelechiinae	
	<i>Aristotelia</i> Hübner, 1825	
	<i>ericinella</i> (Zeller, 1839)	
	<i>subdecurtella</i> (Stainton, 1859)	100
	<i>coeruleopictella</i> (Caradja, 1920)	
	<i>brizella</i> (Treitschke, 1833)	
	<i>Chrysoesthia</i> Hübner, 1825	
	<i>drurella</i> (Fabricius, 1775)	
	<i>sexguttella</i> (Thunberg, 1794)	
	<i>Xystophora</i> Wocke, 1876	101
	<i>pulveratella</i> (Herrich-Schäffer, 1854)	
	<i>Isophrictis</i> Meyrick, 1917	
	<i>striatella</i> (D. & S., 1775)	
	<i>anthemidella</i> (Wocke, 1871)	
	<i>Metzneria</i> Zeller, 1839	
	<i>neuropterella</i> (Zeller, 1839)	
	<i>aestivella</i> (Zeller, 1839)	
	<i>lappella</i> (Linnaeus, 1758)	
	<i>ehikeella</i> Gozmány, 1954	
	<i>metzneriella</i> (Stainton, 1851)	
	<i>aprilella</i> (Herrich-Schäffer, 1854)	
	<i>santolinella</i> (Amsel, 1936)	

	<i>Apodia</i> Heinemann, 1870	
	<i>bifractella</i> (Duponchel, 1843)	
	<i>Ptocheuusa</i> Heinemann, 1870	
	<i>inopella</i> (Zeller, 1839)	
	<i>Agrolamprotes</i> Benander, 1945	
	<i>micella</i> (D. & S., 1775)	
	<i>Monochroa</i> Heinemann, 1870	
	<i>cytisella</i> (Curtis, 1837)	
	<i>tenebrella</i> (Hübner, 1817)	
	<i>servella</i> (Zeller, 1839)	
	<i>conspersella</i> (Herrich-Schäffer, 1854)	
	<i>elongella</i> (Heinemann, 1870)	
	<i>lutulentella</i> (Zeller, 1839)	
	<i>lucidella</i> (Stephens, 1834)	
	<i>palustrella</i> (Douglas, 1850)	
	<i>simplicella</i> (Lienig & Zeller, 1846)	
	<i>suffusella</i> (Douglas, 1850)	
	<i>ferrea</i> (Frey, 1870)	
	<i>hornigi</i> (Staudinger, 1883)	
	<i>parvulata</i> Gozmány, 1957	
	<i>Eulamprotes</i> Bradley, 1971	
	<i>wilkella</i> (Linnaeus, 1758)	
	<i>superbella</i> (Zeller, 1839)	
	<i>unicolorella</i> (Duponchel, 1843)	
	<i>atrella</i> (D. & S., 1775)	
	<i>plumbella</i> (Heinemann, 1870)	102
	<i>Bryotropha</i> Heinemann, 1870	
	<i>terrella</i> (D. & S., 1775)	
	<i>desertella</i> (Douglas, 1850)	
	<i>boreella</i> (Douglas, 1851)	103
	<i>galbanella</i> (Zeller, 1839)	
	<i>plantariella</i> (Tengström, 1848)	
	<i>purpurella</i> (Zetterstedt, 1839)	
	<i>rossica</i> Anikin & Piskunov, 1996	104
	<i>senectella</i> (Zeller, 1839)	
	<i>similis</i> (Stainton, 1854)	
	<i>umbrosella</i> (Zeller, 1839)	
	<i>affinis</i> (Haworth, 1828)	
	<i>Recurvaria</i> Haworth, 1828	
	<i>leucateella</i> (Clerck, 1759)	
	<i>Exoteleia</i> Wallengren, 1881	
	<i>dodecella</i> (Linnaeus, 1758)	
	<i>Stenolechia</i> Meyrick, 1925	
	<i>gemmaella</i> (Linnaeus, 1758)	

	<i>Parachronistis</i> Meyrick, 1925	
	<i>albiceps</i> (Zeller, 1839)	
	<i>Teleiodes</i> Sattler, 1960	105
	<i>wagai</i> (Nowicki, 1860)	
	<i>luculellus</i> (Hübner, 1813)	
	<i>flavimaculellus</i> (Herrich-Schäffer, 1854)	
	<i>sequax</i> (Haworth, 1828)	
	<i>Carpatolechia</i> Capuse, 1964	
	<i>fugitivella</i> (Zeller, 1839)	
	<i>alburnella</i> (Zeller, 1839)	
	<i>notatella</i> (Hübner, 1813)	
	<i>proximella</i> (Hübner, 1796)	
	<i>epomidella</i> (Tengström, 1869)	106
	<i>Pseudotelphusa</i> Janse, 1958	
	<i>scaella</i> (Scopoli, 1763)	
	<i>paripunctella</i> (Thunberg, 1794)	
	<i>Teleiopsis</i> Sattler, 1960	
	<i>diffinis</i> (Haworth, 1828)	
	<i>Altenia</i> Sattler, 1960	
	<i>scriptella</i> (Hübner, 1796)	107
	<i>Gelechia</i> Hübner, 1825	
	<i>rhombella</i> (D. & S., 1775)	
	<i>scotinella</i> Herrich-Schäffer, 1854	
	<i>sabinella</i> (Zeller, 1839)	
	<i>sororculella</i> (Hübner, 1817)	
	<i>jakovlevi</i> Krulikovsky, 1905	
	<i>muscosella</i> Zeller, 1839	
	<i>cuneatella</i> Douglas, 1852	
	<i>hippophaela</i> (Schrank, 1802)	108
	<i>nigra</i> (Haworth, 1828)	109
	<i>turpella</i> (D. & S., 1775)	
	<i>sestertiella</i> Herrich-Schäffer, 1854	
	<i>Psoricoptera</i> Stainton, 1854	
	<i>speciosella</i> Teich, 1892	
	<i>gibbosella</i> (Zeller, 1839)	
	<i>Chionodes</i> Hübner, 1825	
	<i>lugubrellus</i> (Fabricius, 1794)	
	<i>tragicellus</i> (Heyden, 1865)	111
	<i>luctuellus</i> (Hübner, 1793)	
	<i>holosericellus</i> (Herrich-Schäffer, 1854)	
	<i>continuellus</i> (Zeller, 1839)	
	<i>distinctellus</i> (Zeller, 1839)	
	<i>electellus</i> (Zeller, 1839)	
	<i>viduellus</i> (Fabricius, 1794)	
	<i>fumatellus</i> (Douglas, 1850)	
	<i>ignorantellus</i> (Herrich-Schäffer, 1854)	

	<i>Aroga</i> Busck, 1914	
	<i>velocella</i> (Zeller, 1839)	
	<i>Filatima</i> Busck, 1939	
	<i>incomptella</i> (Herrich-Schäffer, 1854)	
	<i>Neofriseria</i> Sattler, 1960	
	<i>pelella</i> (Treitschke, 1835)	
	<i>singula</i> (Staudinger, 1876)	113
	<i>Prolita</i> Leraut, 1993	
	<i>sexpunctella</i> (Fabricius, 1794)	
	<i>Athrips</i> Billberg, 1820	
	<i>pruinosecellus</i> (Lienig & Zeller, 1846)	
	<i>tetrapunctellus</i> (Thunberg, 1794)	
	<i>mouffetellus</i> (Linnaeus, 1758)	
	<i>Gnorimoschema</i> Busck, 1900	
	<i>herbichii</i> (Nowicki, 1864)	
	<i>epithymellum</i> (Staudinger, 1859)	
	<i>nordlandicolellum</i> (Strand, 1902)	114
	<i>strelicellum</i> (Herrich-Schäffer, 1854)	
	<i>Scrobipalpa</i> Janse, 1951	
	<i>acuminatella</i> (Sircom, 1850)	
	<i>artemisiella</i> (Treitschke, 1833)	
	<i>atriplicella</i> (Fisch. v. Rösl., 1841)	
	<i>clintoni</i> Povolný, 1968	
	<i>nitentella</i> (Fuchs, 1902)	
	<i>obsoletella</i> (Fisch. V. Rösl., 1841)	
	<i>pauperella</i> (Heinemann, 1870)	115
	<i>proclivella</i> (Fuchs, 1886)	116
	<i>samadensis</i> (Pfaffenzeller, 1870)	117
	<i>stangei</i> (E. Hering, 1889)	118
	<i>Scrobipalpula</i> Povolný, 1964	
	<i>psilella</i> (Herrich-Schäffer, 1854)	
	<i>difflluella</i> (Frey, 1870)	119
	<i>Ephysteris</i> Meyrick, 1908	
	<i>inustella</i> (Zeller, 1847)	
	<i>Cosmardia</i> Povolný, 1965	
	<i>moritzella</i> (Treitschke, 1835)	
	<i>Klimeschiopsis</i> Povolný, 1967	
	<i>kiningerella</i> (Duponchel, 1843)	120
	<i>Caryocolum</i> Gregor & Povolný, 1954	
	<i>fischerellum</i> (Treitschke, 1833)	
	<i>tischeriellum</i> (Zeller, 1839)	
	<i>alsinellum</i> (Zeller, 1868)	

	<i>Caryocolum</i> Gregor & Povolný, 1954	
	<i>viscariellum</i> (Stainton, 1855)	121
	<i>vicinellum</i> (Douglas, 1851)	
	<i>amaurellum</i> (M. Hering, 1924)	
	<i>cauligenellum</i> (Schmid, 1863)	
	<i>schleichi</i> (Christoph, 1872)	
	<i>pullatellum</i> (Tengström, 1848)	
	<i>fraternellum</i> (Douglas, 1851)	
	<i>blandellum</i> (Douglas, 1852)	
	<i>blandelloides</i> Karsholt, 1981	
	<i>tricolorellum</i> (Haworth, 1812)	
	<i>junctellum</i> (Douglas, 1851)	
	<i>cassellum</i> (Walker, 1864)	
	<i>petrophilum</i> (Preissecker, 1914)	123
	<i>kroesmanniellum</i> (Herrich-Schäffer, 1854)	
	<i>Sophronia</i> Hübner, 1825	
	<i>semicostella</i> (Hübner, 1813)	
	<i>chilonella</i> (Treitschke, 1833)	
	<i>humerella</i> (D. & S., 1775)	
	<i>sicariella</i> (Zeller, 1839)	
	<i>Syncopacma</i> Meyrick, 1925	
	<i>sangiella</i> (Stainton, 1863)	
	<i>cinctella</i> (Clerck, 1759)	
	<i>wormiella</i> (Wolff, 1958)	
	<i>ochrofasciella</i> (Toll, 1936)	124
	<i>taeniolella</i> (Zeller, 1839)	
	<i>Aproaerema</i> Durrant, 1897	
	<i>anthyllidella</i> (Hübner, 1813)	
	<i>Anacampsis</i> Curtis, 1827	
	<i>populella</i> (Clerck, 1759)	
	<i>blattariella</i> (Hübner, 1796)	
	<i>temerella</i> (Lienig & Zeller, 1846)	
	<i>Mesophleps</i> Hübner, 1825	
	<i>silacella</i> (Hübner, 1796)	
	<i>Anarsia</i> Zeller, 1839	
	<i>lineatella</i> Zeller, 1839	125
	<i>Hypatima</i> Hübner, 1825	
	<i>rhomboidella</i> (Linnaeus, 1758)	
	<i>Nothris</i> Hübner, 1825	
	<i>verbascella</i> (D. & S., 1775)	
	<i>lemniscella</i> (Zeller, 1839)	
	<i>Neofaculta</i> Gozmány, 1955	
	<i>ericetella</i> (Geyer, 1832)	
	<i>infernella</i> (Herrich-Schäffer, 1854)	

	Dichomeridinae	
	<i>Dichomeris</i> Hübner, 1818	
	<i>juniperella</i> (Linnaeus, 1761)	
	<i>marginella</i> (Fabricius, 1781)	
	<i>ustalella</i> (Fabricius, 1794)	126
	<i>derasella</i> (D. & S., 1775)	
	<i>limosella</i> (Schläger, 1849)	
	<i>rasilella</i> (Herrich-Schäffer, 1854)	127
	<i>alacella</i> (Zeller, 1839)	
	<i>latipennella</i> (Rebel, 1937)	
	<i>Brachmia</i> Hübner, 1825	
	<i>dimidiella</i> (D. & S., 1775)	
	<i>blandella</i> (Fabricius, 1798)	
	<i>inornatella</i> (Douglas, 1850)	
	<i>Helcystogramma</i> Zeller, 1877	
	<i>lineolellum</i> (Zeller, 1839)	
	<i>lutatellum</i> (Herrich-Schäffer, 1854)	
	<i>rufescens</i> (Haworth, 1828)	
	<i>Acompsia</i> Hübner, 1825	
	<i>cinerella</i> (Clerck, 1759)	
	<i>subpunctella</i> Svensson, 1966	
	Pexicopiinae	
	<i>Pexicopia</i> Common, 1958	
	<i>malvella</i> (Hübner, 1805)	
	<i>Thiotricha</i> Meyrick, 1886	
	<i>subocellea</i> (Stephens, 1834)	
	Zygaenoidea	
	Limacodidae	
	<i>Apoda</i> Haworth, 1809	
	<i>limacodes</i> (Hufnagel, 1766)	
	<i>Heterogenea</i> Knoch, 1783	
	<i>asella</i> (D. & S., 1775)	
	Zygaenidae	
	Procridinae	
	<i>Rhagades</i> Wallengren, 1863	
	<i>pruni</i> (D. & S., 1775)	
	<i>Adscita</i> Retzius, 1783	
	<i>statices</i> (Linnaeus, 1758)	

	Zygaeninae	
	<i>Zygaena</i> Fabricius, 1775	
	<i>minos</i> (D. & S., 1775)	
	<i>osterodensis</i> Reiss, 1921	
	<i>viciae</i> (D. & S., 1775)	
	<i>filipendulae</i> (Linnaeus, 1758)	
	<i>lonicerae</i> (Scheven, 1777)	
	Sesioidea	
	Sesiidae	
	Tinthiinae	
	<i>Pennisetia</i> Dehne, 1850	
	<i>hylaeiformis</i> (Laspeyres, 1801)	
	Sesiinae	
	<i>Sesia</i> Fabricius, 1775	
	<i>apiformis</i> (Clerck, 1759)	
	<i>melanocephala</i> Dalman, 1816	
	<i>Paranthrene</i> Hübner, 1819	
	<i>tabaniformis</i> (Rottemburg, 1775)	
	<i>Synanthedon</i> Hübner, 1819	
	<i>scoliaeformis</i> (Borkhausen, 1789)	
	<i>spheciformis</i> (D. & S., 1775)	
	<i>culiciformis</i> (Linnaeus, 1758)	
	<i>formicaeformis</i> (Esper, 1783)	
	<i>flaviventris</i> (Staudinger, 1883)	128
	<i>tipuliformis</i> (Clerck, 1759)	
	<i>Bembecia</i> Hübner, 1819	
	<i>ichneumoniformis</i> (D. & S., 1775)	
	<i>Pyropteron</i> Newman, 1832	
	<i>triannuliformis</i> (Freyer, 1845)	
	Cossoidea	
	Cossidae	
	Cossinae	
	<i>Cossus</i> Fabricius, 1794	
	<i>cossus</i> (Linnaeus, 1758)	
	<i>Lamellocossus</i> Daniel, 1956	
	<i>terebra</i> (D. & S., 1775)	
	Zeuzerinae	
	<i>Zeuzera</i> Latreille, 1804	
	<i>pyrina</i> (Linnaeus, 1761)	

	<i>Phragmataecia</i> Newman, 1850	
	<i>castaneae</i> (Hübner, 1790)	
	Tortricoidea	129
	Tortricidae	
	Tortricinae	
	<i>Spatalisticus</i> Meyrick, 1907	
	<i>bifasciana</i> (Hübner, 1787)	
	<i>Tortrix</i> Linnaeus, 1758	
	<i>viridana</i> Linnaeus, 1758	
	<i>Aleinma</i> Hübner, 1825	
	<i>loeflingiana</i> (Linnaeus, 1758)	
	<i>Acleris</i> Hübner, 1825	134
	<i>holmiana</i> (Linnaeus, 1758)	
	<i>forsskaleana</i> (Linnaeus, 1758)	
	<i>bergmanniana</i> (Linnaeus, 1758)	
	<i>comariana</i> (Lienig & Zeller, 1846)	
	<i>laterana</i> (Fabricius, 1794)	
	<i>nigrilineana</i> Kawabe, 1963	
	<i>maccana</i> (Treitschke, 1835)	
	<i>sparsana</i> (D. & S., 1775)	
	<i>rhombana</i> (D. & S., 1775)	
	<i>emargana</i> (Fabricius, 1775)	
	<i>effractana</i> (Hübner, 1799)	130
	<i>schalleriana</i> (Linnaeus, 1761)	
	<i>lorquiniana</i> (Duponchel, 1835)	131
	<i>umbrana</i> (Hübner, 1799)	
	<i>crisana</i> (D. & S., 1775)	132
	<i>variegana</i> (D. & S., 1775)	
	<i>aspersana</i> (D. & S., 1775)	
	<i>shepherdana</i> (Stephens, 1852)	
	<i>hastiana</i> (Linnaeus, 1775)	
	<i>hyemana</i> (Haworth, 1811)	
	<i>notana</i> (Donovan, 1806)	
	<i>obtusana</i> (Eversmann, 1844)	133
	<i>ferrugana</i> (D. & S., 1775)	
	<i>kochiella</i> (Goeze, 1783)	
	<i>logiana</i> (Clerck, 1759)	
	<i>roscidana</i> (Hübner, 1799)	
	<i>literana</i> (Linnaeus, 1758)	135
	<i>lacordairana</i> (Duponchel, 1836)	136
	<i>lipsiana</i> (D. & S., 1775)	
	<i>rufana</i> (D. & S., 1775)	
	<i>fimbriana</i> (Thunberg, 1791)	
	<i>Phtheochroa</i> Stephens, 1829	
	<i>inopiana</i> (Haworth, 1811)	
	<i>schreibersiana</i> (Frölich, 1828)	
	<i>sodaliana</i> (Haworth, 1811)	

	<i>Cochylimorpha</i> Razowski, 1959	
	<i>alternana</i> (Stephens, 1834)	
	<i>Phalonidia</i> Le Marchand, 1933	
	<i>gilvicomana</i> (Zeller, 1847)	
	<i>curvistrigana</i> (Stainton, 1859)	
	<i>manniana</i> (Fisch. v. Rösl., 1839)	
	<i>Gynnidomorpha</i> Turner, 1916	
	<i>luridana</i> (Gregson, 1870)	
	<i>vectisana</i> (Humphreys & Westwood, 1845)	
	<i>alimana</i> (Ragonot, 1883)	
	<i>minimana</i> (Caradja, 1916)	
	<i>permixtana</i> (D. & S., 1775)	
	<i>Agapeta</i> Hübner, 1825	
	<i>hamana</i> (Linnaeus, 1758)	
	<i>zoegana</i> (Linnaeus, 1767)	
	<i>Eupoecilia</i> Stephens, 1829	
	<i>cebrana</i> (Hübner, 1813)	
	<i>angustana</i> (Hübner, 1799)	
	<i>ambiguella</i> (Hübner, 1796)	
	<i>Aethes</i> Billberg, 1820	
	<i>hartmanniana</i> (Clerck, 1758)	
	<i>margaritana</i> (Haworth, 1811)	
	<i>deutschiana</i> (Zetterstedt, 1839)	
	<i>triangulana</i> (Treitschke, 1835)	
	<i>rutilana</i> (Hübner, 1817)	
	<i>smeathmanniana</i> (Fabricius, 1781)	
	<i>tesserana</i> (D. & S., 1775)	
	<i>francillana</i> (Fabricius, 1794)	
	<i>fennicana</i> (M.Hering, 1924)	137
	<i>cnicana</i> (Westwood, 1854)	
	<i>rubigana</i> (Treitschke, 1830)	
	<i>kindermanniana</i> (Treitschke, 1830)	
	<i>Cochylidia</i> Obratzsov, 1956	
	<i>rupicola</i> (Curtis, 1834)	138
	<i>subroseana</i> (Haworth, 1811)	
	<i>richteriana</i> (Fisch. v. Rösl., 1837)	
	<i>moguntiana</i> (Rössler, 1864)	
	<i>heydeniana</i> (Herrich-Schäffer, 1851)	139
	<i>implicitana</i> (Wocke, 1856)	
	<i>Cochylis</i> Treitschke, 1830	
	<i>nana</i> (Haworth, 1811)	
	<i>flaviciliana</i> (Westwood, 1854)	
	<i>epilinana</i> Duponchel, 1842	
	<i>hybridella</i> (Hübner, 1813)	
	<i>dubitana</i> (Hübner, 1799)	
	<i>pallidana</i> Zeller, 1847	
	<i>posterana</i> Zeller, 1847	

	<i>Falseuncaria</i> Obr. & Swats., 1958	
	<i>ruficiliana</i> (Haworth, 1811)	
	<i>Xerocnephasia</i> Leraut, 1979	
	<i>rigana</i> (Sodoffsky, 1829)	
	<i>Neosphaleroptera</i> Réal, 1953	
	<i>nubilana</i> (Hübner, 1799)	140
	<i>Doloploca</i> Hübner, 1825	
	<i>punctulana</i> (D. & S., 1775)	
	<i>Exapate</i> Hübner, 1825	
	<i>congelatella</i> (Clerck, 1759)	
	<i>Tortricodes</i> Guenée, 1845	
	<i>alternella</i> (D. & S., 1775)	
	<i>Eana</i> Billberg, 1820	
	<i>osseana</i> (Scopoli, 1763)	
	<i>argentana</i> (Clerck, 1759)	
	<i>incanana</i> (Stephens, 1852)	
	<i>penziana</i> (Thunberg, 1791)	
	<i>Cnephasia</i> Curtis, 1826	141
	<i>incertana</i> (Treitschke, 1835)	
	<i>stephensiana</i> (Doubleday, 1849)	
	<i>asseclana</i> (D. & S., 1775)	
	<i>alticolana</i> (Herrich-Schäffer, 1851)	
	<i>pasiuana</i> (Hübner, 1799)	
	<i>genitalana</i> Pierce & Metcalfe, 1922	142
	<i>communana</i> (Herrich-Schäffer, 1851)	
	<i>Pseudargyrotoza</i> Obraztsov, 1954	
	<i>conwagana</i> (Fabricius, 1775)	
	<i>Epagoge</i> Hübner, 1825	
	<i>grotiana</i> (Fabricius, 1781)	
	<i>Paramesia</i> Stephens, 1829	
	<i>gnomana</i> (Clerck, 1759)	
	<i>Periclepsis</i> Bradley, 1977	
	<i>cinctana</i> (D. & S., 1775)	
	<i>Philedone</i> Hübner, 1825	
	<i>geringana</i> (D. & S., 1775)	
	<i>Capua</i> Stephens, 1834	
	<i>vulgana</i> (Frölich, 1828)	
	<i>Philedonides</i> Obraztsov, 1954	
	<i>lunanus</i> (Thunberg, 1784)	

	<i>Archips</i> Hübner, 1825	
	<i>oporanus</i> (Linnaeus, 1758)	
	<i>betulanus</i> (Hübner, 1787)	
	<i>podanus</i> (Scopoli, 1763)	
	<i>crataeganus</i> (Hübner, 1799)	
	<i>xylosteanus</i> (Linnaeus, 1758)	
	<i>rosanus</i> (Linnaeus, 1758)	
	<i>Choristoneura</i> Lederer, 1859	
	<i>diversana</i> (Hübner, 1817)	
	<i>hebenstreitella</i> (Müller, 1764)	
	<i>Argyrotaenia</i> Stephens, 1852	
	<i>ljungiana</i> (Thunberg, 1797)	
	<i>Ptycholomoides</i> Obraztsov, 1954	
	<i>aeriferanus</i> (Herrich-Schäffer, 1851)	
	<i>Ptycholoma</i> Stephens, 1829	
	<i>lecheanum</i> (Linnaeus, 1758)	
	<i>Pandemis</i> Hübner, 1825	
	<i>cinnamomeana</i> (Treitschke, 1830)	
	<i>corylana</i> (Fabricius, 1794)	
	<i>cerasana</i> (Hübner, 1786)	
	<i>heparana</i> (D. & S., 1775)	
	<i>dumetana</i> (Treitschke, 1835)	
	<i>Syndemis</i> Hübner, 1825	
	<i>musculana</i> (Hübner, 1799)	
	<i>Lozotaenia</i> Stephens, 1829	
	<i>forsterana</i> (Fabricius, 1781)	
	<i>Aphelia</i> Hübner, 1825	
	<i>paleana</i> (Hübner, 1793)	
	<i>unitana</i> (Hübner, 1793)	
	<i>viburnana</i> (D. & S., 1775)	
	<i>Dichelia</i> Guenée, 1845	
	<i>histrionana</i> (Frölich, 1828)	
	<i>Clepsis</i> Guenée, 1845	
	<i>sp.</i> (cf. <i>rogana</i>)	
	<i>senecionana</i> (Hübner, 1819)	
	<i>runinana</i> (Linnaeus, 1758)	
	<i>spectrana</i> (Treitschke, 1830)	
	<i>pallidana</i> (Fabricius, 1776)	
	<i>neglectana</i> (Herrich-Schäffer, 1851)	
	<i>Adoxophyes</i> Meyrick, 1881	
	<i>orana</i> (Fisch. v. Rösl., 1834)	
	<i>Eulia</i> Hübner, 1825	
	<i>ministrana</i> (Linnaeus, 1758)	

	Chlidanotinae	
	<i>Olindia</i> Guenée, 1845	
	<i>schumacherana</i> (Fabricius, 1787)	
	Olethreutinae	
	<i>Bactra</i> Stephens, 1834	
	<i>lacteana</i> (Caradja, 1916)	
	<i>furfurana</i> (Haworth, 1811)	
	<i>lancealana</i> (Hübner, 1799)	
	<i>suedana</i> Bengtsson, 1989	144
	<i>robustana</i> (Christoph, 1872)	
	<i>Endothenia</i> Stephens, 1852	
	<i>gentianaeanana</i> (Hübner, 1799)	
	<i>oblongana</i> (Haworth, 1811)	
	<i>marginana</i> (Haworth, 1811)	
	<i>nigricostana</i> (Haworth, 1811)	145
	<i>ericetana</i> (Humphreys & Westwood, 1845)	
	<i>quadrimaculana</i> (Haworth, 1811)	
	<i>Lobesia</i> Guenée, 1845	146
	<i>euphorbiana</i> (Freyer, 1842)	
	<i>reliquana</i> (Hübner, 1825)	
	<i>virulenta</i> Bae & Komai, 1991	
	<i>abscisana</i> (Doubleday, 1849)	
	<i>bicinctana</i> (Duponchel, 1844)	
	<i>Eudemis</i> Hübner, 1825	
	<i>porphyrana</i> (Hübner, 1799)	
	<i>profundana</i> (D. & S., 1775)	
	<i>Aterpia</i> Guenée, 1845	
	<i>sieversiana</i> (Nolcken, 1870)	
	<i>chalybeia</i> Falkovitsh, 1966	147
	<i>Selenodes</i> Guenée, 1845	
	<i>karelicus</i> (Tengström, 1875)	
	<i>Pseudosciaphila</i> Obratzsov, 1966	
	<i>branderiana</i> (Linnaeus, 1758)	
	<i>Hedya</i> Hübner, 1829	
	<i>salicella</i> (Linnaeus, 1758)	
	<i>nubiferana</i> (Haworth, 1811)	
	<i>pruniana</i> (Hübner, 1799)	
	<i>dimidiana</i> (Clerck, 1759)	
	<i>ochroleucana</i> (Frölich, 1828)	
	<i>Metendothenia</i> Diakonoff, 1972	
	<i>atropunctana</i> (Zetterstedt, 1839)	

	<i>Orthotaenia</i> Stephens, 1829	
	<i>undulana</i> (D. & S., 1775)	
	<i>Pseudohermenias</i> Obraztsov, 1960	
	<i>abietana</i> (Fabricius, 1787)	
	<i>Piniphila</i> Falkovitsh, 1962	
	<i>bifasciana</i> (Haworth, 1811)	
	<i>Apotomis</i> Hübner, 1825	
	<i>semifasciana</i> (Haworth, 1811)	
	<i>infida</i> (Heinrich, 1926)	
	<i>lineana</i> (D. & S., 1775)	
	<i>inundana</i> (D. & S., 1775)	
	<i>turbidana</i> (Hübner, 1825)	
	<i>betuletana</i> (Haworth, 1811)	
	<i>capreana</i> (Hübner, 1817)	
	<i>sororculana</i> (Zetterstedt, 1839)	
	<i>sauciana</i> (Frölich, 1828)	
	<i>Cymolomia</i> Lederer, 1859	
	<i>hartigiana</i> (Saxesen, 1840)	
	<i>Argyroploce</i> Hübner, 1825	
	<i>arbutella</i> (Linnaeus, 1758)	
	<i>Stictea</i> Guenée, 1845	
	<i>mygindiana</i> (D. & S., 1775)	
	<i>Pristerognatha</i> Obraztsov, 1960	
	<i>penthinana</i> (Guenée, 1845)	148
	<i>fuligana</i> (D. & S., 1775)	149
	<i>Olethreutes</i> Hübner, 1822	
	<i>arcuellus</i> (Clerck, 1759)	
	<i>ledianus</i> (Linnaeus, 1758)	
	<i>dalecarlianus</i> (Guenée, 1845)	
	<i>roseomaculanus</i> (Herrich-Schäffer, 1851)	
	<i>Celypha</i> Hübner, 1825	
	<i>rufana</i> (Scopoli, 1763)	
	<i>rosaceana</i> (Schläger, 1847)	
	<i>striana</i> (D. & S., 1775)	
	<i>rurestrana</i> (Duponchel, 1843)	
	<i>capreolana</i> (Herrich-Schäffer, 1851)	
	<i>cespitana</i> (Hübner, 1817)	
	<i>Loxoterma</i> Busck, 1906	
	<i>tiedemanniana</i> (Zeller, 1845)	
	<i>lacunana</i> (D. & S., 1775)	
	<i>siderana</i> (Treitschke, 1835)	
	<i>rivulana</i> (Scopoli, 1763)	
	<i>aurofasciana</i> (Haworth, 1811)	
	<i>bipunctana</i> (Fabricius, 1794)	

	<i>Rhopobota</i> Lederer, 1859	
	<i>stagnana</i> (D. & S., 1775)	
	<i>myrtillana</i> (Humphreys & Westwood, 1845)	
	<i>ustomaculana</i> (Curtis, 1831)	
	<i>naevana</i> (Hübner, 1817)	
	<i>Spilonota</i> Stephens, 1829	
	<i>ocellana</i> (D. & S., 1775)	
	<i>laricana</i> (Heinemann, 1863)	
	<i>Gibberifera</i> Obraztsov, 1946	
	<i>simplana</i> (Fisch. v. Rösl., 1836)	
	<i>Epinotia</i> Hübner, 1825	
	<i>sordidana</i> (Hübner, 1824)	
	<i>caprana</i> (Fabricius, 1798)	
	<i>trigonella</i> (Linnaeus, 1758)	
	<i>indecorana</i> (Zetterstedt, 1839)	
	<i>brunnichiana</i> (Linnaeus, 1767)	
	<i>maculana</i> (Fabricius, 1775)	
	<i>solandriana</i> (Linnaeus, 1758)	
	<i>abbreviana</i> (Fabricius, 1794)	
	<i>nanana</i> (Treitschke, 1835)	
	<i>cruciana</i> (Linnaeus, 1761)	
	<i>signatana</i> (Douglas, 1845)	
	<i>gimmerthaliana</i> (Lienig & Zeller, 1846)	
	<i>immundana</i> (Fisch. v. Rösl., 1836)	
	<i>crenana</i> (Hübner, 1799)	
	<i>nemorivaga</i> (Tengström, 1848)	
	<i>granitana</i> (Herrich-Schäffer, 1851)	
	<i>demarniana</i> (Fisch. v. Rösl., 1836)	
	<i>subocellana</i> (Donovan, 1806)	
	<i>tetraquetrana</i> (Haworth, 1811)	
	<i>pygmaeana</i> (Hübner, 1799)	
	<i>ramella</i> (Linnaeus, 1758)	
	<i>tenerana</i> (D. & S., 1775)	
	<i>rubiginosana</i> (Herrich-Schäffer, 1851)	
	<i>tedella</i> (Clerck, 1759)	
	<i>bilunana</i> (Haworth, 1811)	
	<i>nisella</i> (Clerck, 1759)	
	<i>Zeiraphera</i> Treitschke, 1829	
	<i>griseana</i> (Hübner, 1799)	
	<i>ratzeburgiana</i> (Saxesen, 1840)	
	<i>isertana</i> (Fabricius, 1794)	
	<i>Pelochrista</i> Lederer, 1859	
	<i>mollitana</i> (Zeller, 1847)	
	<i>infidana</i> (Hübner, 1824)	
	<i>huebneriana</i> (Lienig & Zeller, 1846)	
	<i>caecimaculana</i> (Hübner, 1799)	

	<i>Eucosma</i> Hübner, 1823	154
	<i>cana</i> (Haworth, 1811)	
	<i>hohenwartiana</i> (D. & S., 1775)	
	<i>fulvana</i> Stephens, 1834	153
	<i>balatonana</i> (Osthelder, 1937)	
	<i>obumbratana</i> (Lienig & Zeller, 1846)	
	<i>conterminana</i> (Guenée, 1845)	
	<i>aspidiscana</i> (Hübner, 1817)	
	<i>scorzonerana</i> (Benander, 1942)	
	<i>aemulana</i> (Schläger, 1849)	
	<i>wimmerana</i> (Treitschke, 1835)	
	<i>lacteana</i> (Treitschke, 1835)	
	<i>metzneriana</i> (Treitschke, 1830)	
	<i>messingiana</i> (Fisch. v. Rösl., 1837)	
	<i>campoliliana</i> (D. & S., 1775)	
	<i>pupillana</i> (Clerck, 1759)	
	<i>suomiana</i> (A. Hofmann, 1893)	155
	<i>Gypsonoma</i> Meyrick, 1895	
	<i>minutana</i> (Hübner, 1799)	
	<i>nitidulana</i> (Lienig & Zeller, 1846)	
	<i>sociana</i> (Haworth, 1811)	
	<i>dealbana</i> (Frölich, 1828)	
	<i>oppressana</i> (Treitschke, 1835)	156
	<i>Epiblema</i> Hübner, 1825	
	<i>sticticanum</i> (Fabricius, 1794)	
	<i>scutulanum</i> (D. & S., 1775)	
	<i>cirsianum</i> (Zeller, 1843)	
	<i>foenellum</i> (Linnaeus, 1758)	
	<i>grandaevanum</i> (Lienig & Zeller, 1846)	
	<i>graphanum</i> (Treitschke, 1835)	
	<i>similanum</i> (D. & S., 1775)	
	<i>obscuranum</i> (Herrich-Schäffer, 1851)	
	<i>Notocelia</i> Hübner, 1825	
	<i>cynosbatella</i> (Linnaeus, 1758)	
	<i>tetragonana</i> (Stephens, 1834)	
	<i>uddmanniana</i> (Linnaeus, 1758)	
	<i>roborana</i> (D. & S., 1775)	
	<i>incarnatana</i> (Hübner, 1800)	
	<i>rosaecolana</i> (Doubleday, 1850)	
	<i>trimaculana</i> (Haworth, 1811)	
	<i>Blastesthia</i> Obratzsov, 1960	
	<i>posticana</i> (Zetterstedt, 1839)	
	<i>turionella</i> (Linnaeus, 1758)	
	<i>Retinia</i> Guenée, 1845	
	<i>resinella</i> (Linnaeus, 1758)	
	<i>Gravitarmata</i> Obratzsov, 1946	
	<i>margarotana</i> (Heinemann, 1863)	157

	<i>Rhyacionia</i> Hübner, 1825	
	<i>buoliana</i> (D. & S., 1775)	
	<i>pinicolana</i> (Doubleday, 1849)	
	<i>pinivorana</i> (Lienig & Zeller, 1846)	
	<i>duplana</i> (Hübner, 1813)	
	<i>Cydia</i> Hübner, 1825	
	<i>nigricana</i> (Fabricius, 1794)	
	<i>medicaginis</i> (Kuznetsov, 1962)	
	<i>succedana</i> (D. & S., 1775)	
	<i>microgrammana</i> (Guenée, 1845)	
	<i>duplicana</i> (Zetterstedt, 1839)	
	<i>illutana</i> (Herrich-Schäffer, 1851)	
	<i>corollana</i> (Hübner, 1823)	
	<i>coniferana</i> (Saxesen, 1840)	
	<i>indivisa</i> (Danilevsky, 1963)	158
	<i>cosmophorana</i> (Treitschke, 1835)	
	<i>strobilella</i> (Linnaeus, 1758)	
	<i>cognatana</i> (Barrett, 1874)	
	<i>pactolana</i> (Zeller, 1840)	
	<i>pomonella</i> (Linnaeus, 1758)	
	<i>servillana</i> (Duponchel, 1836)	
	<i>leguminana</i> (Lienig & Zeller, 1846)	
	<i>splendana</i> (Hübner, 1799)	
	<i>fagiglandana</i> (Zeller, 1841)	159
	<i>inquinatana</i> (Hübner, 1800)	
	<i>Lathronympha</i> Meyrick, 1926	
	<i>strigana</i> (Fabricius, 1775)	
	<i>Grapholita</i> Treitschke, 1829	
	<i>caecana</i> (Schläger, 1847)	
	<i>compositella</i> (Fabricius, 1775)	
	<i>discretana</i> (Wocke, 1861)	
	<i>lunulana</i> (D. & S., 1775)	
	<i>orobana</i> (Treitschke, 1830)	
	<i>jungiella</i> (Linnaeus, 1761)	
	<i>lobarzewskii</i> (Nowicki, 1860)	160
	<i>funebrana</i> (Treitschke, 1835)	
	<i>tenebrosana</i> (Duponchel, 1843)	
	<i>Pammene</i> Hübner, 1825	
	<i>fasciana</i> (Linnaeus, 1761)	161
	<i>splendidulana</i> (Guenée, 1845)	
	<i>insulana</i> (Guenée, 1845)	
	<i>argyrana</i> (Hübner, 1799)	
	<i>albuginana</i> (Guenée, 1845)	162
	<i>ignorata</i> Kuznetsov, 1968	
	<i>suspectana</i> (Lienig & Zeller, 1846)	163
	<i>obscurana</i> (Stephens, 1834)	
	<i>luedersiana</i> (Sorhagen, 1885)	
	<i>rhediiella</i> (Clerck, 1759)	
	<i>populana</i> (Fabricius, 1787)	
	<i>regiana</i> (Zeller, 1849)	164

	<i>Pammene</i> Hübner, 1825	
	<i>ochsenheimeriana</i> (Lienig & Zeller, 1846)	
	<i>germana</i> (Hübner, 1799)	
	<i>gallicana</i> (Guenée, 1845)	
	<i>Strophedra</i> Herrich-Schäffer, 1853	
	<i>nitidana</i> (Fabricius, 1794)	
	<i>Dichrorampha</i> Guenée, 1845	
	<i>nigrobrunneana</i> (Toll, 1942)	
	<i>plumbana</i> (Scopoli, 1763)	
	<i>sedatana</i> Busck, 1906	
	<i>aeratana</i> (Pierce & Metcalfe, 1915)	
	<i>consortana</i> (Stephens, 1852)	
	<i>cinerascens</i> (Danilevsky, 1948)	
	<i>acuminatana</i> (Lienig & Zeller, 1846)	
	<i>sylicolana</i> (Heinemann, 1863)	
	<i>simpliciana</i> (Haworth, 1811)	
	<i>heegerana</i> (Duponchel, 1843)	
	<i>senectana</i> Guenée, 1845	
	<i>incognitana</i> (Kremky & Maslovski, 1933)	
	<i>gueneana</i> Obraztsov, 1953	
	<i>flavidorsana</i> Knaggs, 1867	
	<i>alpinana</i> (Treitschke, 1830)	165
	<i>petiverella</i> (Linnaeus, 1758)	
	<i>plumbagana</i> (Treitschke, 1830)	
	<i>obscuratana</i> (Wolff, 1955)	166
	<i>agilana</i> (Tengström, 1848)	167
	Choreutoidea	
	Choreutidae	
	Choreutinae	
	<i>Antophila</i> Haworth, 1811	
	<i>fabriciana</i> (Linnaeus, 1767)	
	<i>Prochoreutis</i> Diak. & Hepp., 1980	
	<i>myllerana</i> (Fabricius, 1794)	
	<i>sehestediana</i> (Fabricius, 1776)	
	<i>ultimana</i> (Krulikovsky, 1906)	
	<i>solaris</i> (Erschoff, 1877)	168
	<i>Tebenna</i> Billberg, 1820	
	<i>bjerkandrella</i> (Thunberg, 1784)	
	<i>pretiosana</i> (Duponchel, 1842)	169
	<i>Choreutis</i> Hübner, 1825	
	<i>diana</i> (Hübner, 1822)	
	<i>pariana</i> (Clerck, 1759)	
	Urodoidea	
	Urodidae	
	<i>Wockia</i> Heinemann, 1870	
	<i>asperipunctella</i> (Bruand, 1851)	

	Schreckensteinoidea	
	Schreckensteiniidae	
	<i>Schreckensteinia</i> Hübner, 1825	
	<i>festaliella</i> (Hübner, 1819)	
	Epermenioidea	
	Epermeniidae	
	<i>Phaulernis</i> Meyrick, 1895	
	<i>fulviguttella</i> (Zeller, 1839)	170
	<i>dentella</i> (Zeller, 1839)	
	<i>Epermenia</i> Hübner, 1824	171
	<i>chaerophyllella</i> (Goeze, 1783)	
	<i>illigerella</i> (Hübner, 1813)	
	<i>falciformis</i> (Haworth, 1828)	172
	<i>insecurella</i> (Stainton, 1849)	173
	<i>profugella</i> (Stainton, 1856)	
	<i>Ochromolopis</i> Hübner, 1825	
	<i>ictella</i> (Hübner, 1813)	
	Alucitoidea	
	Alucitidae	
	<i>Alucita</i> Linnaeus, 1758	
	<i>hexadactyla</i> Linnaeus, 1758	
	<i>grammodactyla</i> Zeller, 1841	
	<i>Pteropteryx</i> Hannemann, 1959	
	<i>dodecadactyla</i> Hübner, 1813	
	Pterophoroidea	174
	Pterophoridae	
	Agdistinae	
	<i>Agdistis</i> Hübner, 1825	
	<i>adactyla</i> (Hübner, 1819)	175
	Pterophorinae	
	<i>Platyptilia</i> Hübner, 1825	
	<i>gonodactyla</i> (D. & S., 1775)	
	<i>calodactyla</i> (D. & S., 1775)	
	<i>nemoralis</i> Zeller, 1841	
	<i>tesseradactyla</i> (Linnaeus, 1761)	
	<i>Gillmeria</i> Tutt, 1905	
	<i>pallidactyla</i> (Haworth, 1811)	
	<i>tetractyla</i> (Linnaeus, 1758)	
	<i>Amblyptilia</i> Hübner, 1825	
	<i>acanthadactyla</i> (Hübner, 1813)	
	<i>punctidactyla</i> (Haworth, 1811)	

	<i>Stenoptilia</i> Hübner, 1825	
	<i>pterodactyla</i> (Linnaeus, 1761)	
	<i>veronicae</i> Karvonen, 1932	
	<i>bipunctidactyla</i> (Scopoli, 1763)	
	<i>pelidnodactyla</i> (Stein, 1837)	
	<i>Cnaemidophorus</i> Wallengren, 1862	
	<i>rhododactylus</i> (D. & S., 1775)	
	<i>Marasmarcha</i> Meyrick, 1886	
	<i>lunaedactyla</i> (Haworth, 1811)	
	<i>Geina</i> Tutt, 1907	
	<i>didactyla</i> (Linnaeus, 1758)	
	<i>Capperia</i> Tutt, 1905	
	<i>trichodactyla</i> (D. & S., 1775)	176
	<i>Buckleria</i> Tutt, 1905	
	<i>paludum</i> (Zeller, 1839)	
	<i>Oxyptilus</i> Zeller, 1841	
	<i>pilosellae</i> (Zeller, 1841)	
	<i>chrysodactylus</i> (D. & S., 1775)	
	<i>ericetorum</i> (Stainton, 1851)	
	<i>parvidactylus</i> (Haworth, 1811)	
	<i>Pselnophorus</i> Wallengren, 1881	
	<i>heterodactylus</i> (Müller, 1764)	
	<i>Hellinsia</i> Tutt, 1905	177
	<i>osteodactyla</i> (Zeller, 1841)	
	<i>distincta</i> (Herrich-Schäffer, 1855)	
	<i>didactylites</i> (Ström, 1783)	
	<i>tephradactyla</i> (Hübner, 1813)	
	<i>lienigiana</i> (Zeller, 1852)	
	<i>Oidaematophorus</i> Wallengren, 1862	
	<i>lithodactylus</i> (Treitschke, 1833)	
	<i>vafradactylus</i> Svensson, 1966	
	<i>Emmelina</i> Tutt, 1905	
	<i>monodactyla</i> (Linnaeus, 1758)	
	<i>Adaina</i> Tutt, 1905	
	<i>microdactyla</i> (Hübner, 1813)	
	<i>Calyciphora</i> Kasy, 1960	
	<i>albodactyla</i> (Fabricius, 1794)	
	<i>Porrittia</i> Tutt, 1905	
	<i>galactodactyla</i> (D. & S., 1775)	178

	<i>Merrifieldia</i> Tutt, 1905	
	<i>leucodactyla</i> (D. & S., 1775)	
	<i>tridactyla</i> (Linnaeus, 1758)	
	<i>baliodactyla</i> (Zeller, 1841)	
	<i>Pterophorus</i> Geoffroy, 1762	
	<i>pentadactylus</i> (Linnaeus, 1758)	
	Thyridoidea	
	Thyrididae	
	<i>Thyris</i> Laspeyres, 1803	
	<i>fenestrella</i> (Scopoli, 1763)	
	Pyraloidea	179
	Pyralidae	
	Pyralinae	
	<i>Aphomia</i> Hübner, 1825	
	<i>sociella</i> (Linnaeus, 1758)	
	<i>zelleri</i> Joannis, 1932	
	<i>Achroia</i> Hübner, 1819	
	<i>grisella</i> (Fabricius, 1794)	
	<i>Galleria</i> Fabricius, 1798	
	<i>mellonella</i> (Linnaeus, 1758)	
	<i>Synaphe</i> Hübner, 1825	
	<i>punctalis</i> (Fabricius, 1775)	
	<i>Pyralis</i> Linnaeus, 1758	
	<i>regalis</i> (D. & S., 1775)	
	<i>lienigialis</i> (Zeller, 1843)	
	<i>farinalis</i> (Linnaeus, 1758)	
	<i>Aglossa</i> Latreille, 1796	
	<i>pinguinalis</i> (Linnaeus, 1758)	
	<i>Hypsopygia</i> Hübner, 1825	
	<i>costalis</i> (Fabricius, 1775)	
	<i>Orthopygia</i> Ragonot, 1890	
	<i>glaucinalis</i> (Linnaeus, 1758)	
	Phycitinae	
	<i>Cryptoblabes</i> Zeller, 1848	
	<i>bistriga</i> (Haworth, 1811)	
	<i>Salebriopsis</i> Hannemann, 1965	
	<i>albicilla</i> (Herrich-Schäffer, 1849)	180

	<i>Elegia</i> Ragonot, 1887	
	<i>similella</i> (Zincken, 1818)	181
	<i>Ortholepis</i> Ragonot, 1887	
	<i>betulae</i> (Goeze, 1778)	
	<i>vacciniella</i> (Lienig & Zeller, 1847)	
	<i>Pyla</i> Grote, 1882	
	<i>fusca</i> (Haworth, 1811)	
	<i>Pempeliella</i> Caradja, 1916	
	<i>ornatella</i> (D. & S., 1775)	
	<i>dilutella</i> (D. & S., 1775)	
	<i>Sciota</i> Hulst, 1888	
	<i>fumella</i> (Eversmann, 1844)	
	<i>lucipetella</i> (Jalava, 1978)	
	<i>rhenella</i> (Zincken, 1818)	
	<i>hostilis</i> (Stephens, 1834)	
	<i>adelphella</i> (Fisch. v Rösl., 1836)	
	<i>Selagia</i> Hübner, 1825	
	<i>spadicella</i> (Hübner, 1796)	
	<i>Etiella</i> Zeller, 1839	
	<i>zinckenella</i> (Treitschke, 1832)	182
	<i>Pima</i> Hulst, 1888	
	<i>boisduvaliella</i> (Guenée, 1845)	
	<i>Oncocera</i> Stephens, 1829	
	<i>semirubella</i> (Scopoli, 1763)	
	<i>faecella</i> (Zeller, 1839)	
	<i>Pempelia</i> Hübner, 1825	
	<i>formosa</i> (Haworth, 1811)	
	<i>palumbella</i> (D. & S., 1775)	
	<i>Dioryctria</i> Zeller, 1846	
	<i>sylvestrella</i> (Ratzeburg, 1840)	
	<i>shuetzeella</i> Fuchs, 1899	
	<i>simplicella</i> Heinemann, 1863	
	<i>abietella</i> (D. & S., 1775)	
	<i>Phycita</i> Curtis, 1828	
	<i>roborella</i> (D. & S., 1775)	
	<i>Hypochalcia</i> Hübner, 1825	
	<i>ahenella</i> (D. & S., 1775)	
	<i>Conobathra</i> Meyrick, 1886	
	<i>repandana</i> (Fabricius, 1798)	

	<i>Trachycera</i> Ragonot, 1893	
	<i>advenella</i> (Zincken, 1818)	
	<i>Acrobasis</i> Zeller, 1839	
	<i>consociella</i> (Hübner, 1813)	
	<i>Apomyelois</i> Heinrich, 1956	
	<i>bistriatellus</i> (Hulst, 1887)	
	<i>Episcythrastis</i> Meyrick, 1937	
	<i>tetricella</i> (D. & S., 1775)	
	<i>Eurhodope</i> Hübner, 1825	
	<i>cirrigerella</i> (Zincken, 1818)	
	<i>Myelois</i> Hübner, 1825	
	<i>circumvolutus</i> (Fourcroy, 1785)	
	<i>Zophodia</i> Hübner, 1825	
	<i>grossulariella</i> (Hübner, 1809)	
	<i>Assara</i> Walker, 1863	
	<i>terebrella</i> (Zincken, 1818)	
	<i>Euzophera</i> Zeller, 1867	183
	<i>pinguis</i> (Haworth, 1811)	
	<i>cinerosella</i> (Zeller, 1839)	
	<i>fuliginosella</i> (Heinemann, 1865)	
	<i>Nyctegretis</i> Zeller, 1848	
	<i>lineana</i> (Scopoli, 1786)	
	<i>Homoeosoma</i> Curtis, 1833	
	<i>sinuellum</i> (Fabricius, 1794)	
	<i>nebulellum</i> (D. & S., 1775)	
	<i>nimbellum</i> (Duponchel, 1837)	
	<i>Phycitodes</i> Hampson, 1917	
	<i>maritimus</i> (Tengström, 1848)	
	<i>binaevellus</i> (Hübner, 1813)	
	<i>lacteellus</i> (Rothschild, 1915)	184
	<i>saxicola</i> (Vaughan, 1870)	
	<i>albatellus</i> (Ragonot, 1887)	
	<i>Vitula</i> Ragonot, 1887	
	<i>biviella</i> (Zeller, 1848)	
	<i>Plodia</i> Guenée, 1845	
	<i>interpunctella</i> (Hübner, 1813)	
	<i>Ephestia</i> Guenée, 1845	
	<i>kuehniella</i> Zeller, 1879	
	<i>mistrarella</i> (Millière, 1874)	
	<i>elutella</i> (Hübner, 1796)	

	<i>Anerastia</i> Hübner, 1825	
	<i>lotella</i> (Hübner, 1813)	
	Scopariinae	
	<i>Scoparia</i> Haworth, 1811	
	<i>pyralella</i> (D. & S., 1775)	
	<i>ancipitella</i> (La Harpe, 1855)	
	<i>ambigualis</i> (Treitschke, 1829)	
	<i>subfusca</i> Haworth, 1811	
	<i>basistrigalis</i> Knaggs, 1866	
	<i>Gesneria</i> Hübner, 1825	
	<i>centuriella</i> (D. & S., 1775)	185
	<i>Eudonia</i> Billberg, 1820	
	<i>mercurella</i> (Linnaeus, 1758)	186
	<i>lacustrata</i> (Panzer, 1804)	
	<i>laetella</i> (Zeller, 1846)	
	<i>alpina</i> (Curtis, 1850)	187
	<i>sudetica</i> (Zeller, 1839)	
	<i>murana</i> (Curtis, 1827)	
	<i>truncicolella</i> (Stainton, 1849)	
	<i>pallida</i> (Curtis, 1827)	
	Heliothelinae	
	<i>Heliothela</i> Guenée, 1854	
	<i>wulfeniana</i> (Scopoli, 1763)	
	Crambinae	
	<i>Euchromius</i> Guenée, 1845	
	<i>ocellus</i> (Haworth, 1811)	
	<i>Chilo</i> Zincken, 1817	
	<i>phragmitellus</i> (Hübner, 1805)	
	<i>Calamotropha</i> Zeller, 1863	
	<i>paludella</i> (Hübner, 1824)	
	<i>Chrysoteuchia</i> Hübner, 1825	
	<i>culmella</i> (Linnaeus, 1758)	
	<i>Crambus</i> Fabricius, 1798	
	<i>pascuellus</i> (Linnaeus, 1758)	
	<i>silvellus</i> (Hübner, 1813)	
	<i>uliginosellus</i> Zeller, 1850	
	<i>ericellus</i> (Hübner, 1813)	
	<i>alienellus</i> (Germar & Kaulfuss, 1817)	
	<i>heringiellus</i> Herrich-Schäffer, 1848	
	<i>pratellus</i> (Linnaeus, 1758)	
	<i>lathoniellus</i> (Zincken, 1817)	
	<i>hamellus</i> (Thunberg, 1788)	
	<i>perlellus</i> (Scopoli, 1763)	

	<i>Agriphila</i> Hübner, 1825	
	<i>deliella</i> (Hübner, 1813)	188
	<i>tristella</i> (D. & S., 1775)	
	<i>inquinatella</i> (D. & S., 1775)	
	<i>aeneociliella</i> (Eversmann, 1844)	189
	<i>selasella</i> (Hübner, 1813)	
	<i>straminella</i> (D. & S., 1775)	
	<i>poliella</i> (Treitschke, 1832)	
	<i>biarmica</i> (Tengström, 1865)	190
	<i>Catoptria</i> Hübner, 1825	
	<i>permutatella</i> (Herrich-Schäffer, 1848)	
	<i>pinella</i> (Linnaeus, 1758)	
	<i>permiaca</i> (W. Petersen, 1924)	
	<i>margaritella</i> (D. & S., 1775)	
	<i>fulgidella</i> (Hübner, 1813)	
	<i>maculalis</i> (Zetterstedt, 1839)	191
	<i>falsella</i> (D. & S., 1775)	
	<i>verella</i> (Zincken, 1817)	
	<i>lythargyrella</i> (Hübner, 1796)	
	<i>Pediasia</i> Hübner, 1825	
	<i>fascelinella</i> (Hübner, 1813)	
	<i>luteella</i> (D. & S., 1775)	
	<i>truncatella</i> (Zetterstedt, 1839)	
	<i>contaminella</i> (Hübner, 1796)	
	<i>aridella</i> (Thunberg, 1788)	
	<i>Platytes</i> Guenée, 1845	
	<i>cerussella</i> (D. & S., 1775)	
	<i>alpinella</i> (Hübner, 1813)	
	Schoenobiinae	
	<i>Schoenobius</i> Duponchel, 1836	
	<i>gigantellus</i> (D. & S., 1775)	
	<i>Donacaula</i> Meyrick, 1890	
	<i>forficella</i> (Thunberg, 1794)	
	<i>mucronella</i> (D. & S., 1775)	
	Nymphulinae	
	<i>Elophila</i> Hübner, 1822	
	<i>nymphaeata</i> (Linnaeus, 1758)	
	<i>Acentria</i> Stephens, 1829	
	<i>ephemerella</i> (D. & S., 1775)	
	<i>Cataclysta</i> Hübner, 1825	
	<i>lemnata</i> (Linnaeus, 1758)	
	<i>Parapoynx</i> Hübner, 1825	
	<i>stratiotatum</i> (Linnaeus, 1758)	

	<i>Nymphula</i> Schrank, 1825	
	<i>stagnata</i> (Donovan, 1806)	
	Odontiinae	
	<i>Cynaeda</i> Hübner, 1825	
	<i>dentalis</i> (D. & S., 1775)	
	<i>Epascestria</i> Hübner, 1825	
	<i>pustulalis</i> (Hübner, 1823)	
	<i>Atralata</i> Sylvé, 1947	
	<i>albofascialis</i> (Treitschke, 1829)	
	Evergestinae	
	<i>Evergestis</i> Hübner, 1825	
	<i>frumentalis</i> (Linnaeus, 1761)	
	<i>forficalis</i> (Linnaeus, 1758)	
	<i>extimalis</i> (Scopoli, 1763)	
	<i>pallidata</i> (Hufnagel, 1767)	
	<i>aenealis</i> (D. & S., 1775)	
	Pyraustinae	
	<i>Udea</i> Guenée, 1845	
	<i>ferrugalis</i> (Hübner, 1796)	192
	<i>fulvalis</i> (Hübner, 1809)	
	<i>lutealis</i> (Hübner, 1809)	
	<i>elutalis</i> (D. & S., 1775)	193
	<i>prunalis</i> (D. & S., 1775)	
	<i>inquinalis</i> (Lienig & Zeller, 1846)	
	<i>accolalis</i> (Zeller, 1867)	
	<i>nebulalis</i> (Hübner, 1796)	
	<i>decrepitalis</i> (Herrich-Schäffer, 1848)	
	<i>olivalis</i> (D. & S., 1775)	
	<i>hamalis</i> (Thunberg, 1788)	
	<i>Opsibotys</i> Warren, 1890	
	<i>fuscalis</i> (D. & S., 1775)	
	<i>Loxostege</i> Hübner, 1825	
	<i>turbidalis</i> (Treitschke, 1829)	
	<i>sticticalis</i> (Linnaeus, 1761)	
	<i>commixtalis</i> (Walker, 1866)	194
	<i>Pyrausta</i> Schrank, 1802	
	<i>cingulatus</i> (Linnaeus, 1758)	
	<i>sanguinalis</i> (Linnaeus, 1767)	
	<i>despicatus</i> (Scopoli, 1763)	
	<i>porphyralis</i> (D. & S., 1775)	
	<i>auratus</i> (Scopoli, 1763)	
	<i>purpuralis</i> (Linnaeus, 1758)	
	<i>ostrinalis</i> (Hübner, 1796)	
	<i>nigratus</i> (Scopoli, 1763)	
	<i>aerealis</i> (Hübner, 1793)	

	<i>Nascia</i> Curtis, 1835	
	<i>ciliaris</i> (Hübner, 1796)	
	<i>Sitochroa</i> Hübner, 1825	
	<i>palealis</i> (D. & S., 1775)	
	<i>verticalis</i> (Linnaeus, 1758)	
	<i>Perinephela</i> Hübner, 1825	
	<i>lancealis</i> (D. & S., 1775)	
	<i>Phlyctaenia</i> Hübner, 1825	
	<i>coronata</i> (Hufnagel, 1767)	
	<i>stachydalis</i> (Germar, 1821)	
	<i>perlucidalis</i> (Hübner, 1809)	
	<i>Algedonia</i> Lederer, 1863	
	<i>terrealis</i> (Treitschke, 1829)	
	<i>Psammotis</i> Hübner, 1825	
	<i>pulveralis</i> (Hübner, 1796)	
	<i>Ostrinia</i> Hübner, 1825	
	<i>peregrinalis</i> (Eversmann, 1852)	
	<i>palustralis</i> (Hübner, 1796)	
	<i>nubilalis</i> (Hübner, 1796)	
	<i>Ebulea</i> Doubleday, 1849	
	<i>crocealis</i> (Hübner, 1796)	
	<i>Anania</i> Hübner, 1823	
	<i>verbascalis</i> (D. & S., 1775)	
	<i>funebri</i> (Ström, 1768)	
	<i>Eurrhyncha</i> Hübner, 1825	
	<i>hortulata</i> (Linnaeus, 1758)	
	<i>Paratalanta</i> Meyrick, 1890	
	<i>pandalis</i> (Hübner, 1825)	
	<i>hyalinalis</i> (Hübner, 1796)	
	<i>Pleuroptya</i> Meyrick, 1890	
	<i>ruralis</i> (Scopoli, 1763)	
	<i>Mecyna</i> Doubleday, 1849	
	<i>flavalis</i> (D. & S., 1775)	
	<i>Agrotera</i> Schrank, 1803	
	<i>nemoralis</i> (Scopoli, 1763)	195
	<i>Diasemia</i> Hübner, 1825	
	<i>reticularis</i> (Linnaeus, 1761)	
	<i>Diasemiopsis</i> Munroe, 1957	
	<i>ramburialis</i> (Duponchel, 1834)	196

	<i>Palpita</i> Hübner, 1808	
	<i>unionalis</i> (Hübner, 1796)	197
	<i>Dolicharthria</i> Stephens, 1834	
	<i>punctalis</i> (D. & S., 1775)	
	<i>Nomophila</i> Hübner, 1825	
	<i>noctuella</i> (D. & S., 1775)	
	Lasiocampoidea	
	Lasiocampidae	
	Poecilocampinae	
	<i>Poecilocampa</i> Stephens, 1828	
	<i>populi</i> (Linnaeus, 1758)	
	<i>Trichiura</i> Stephens, 1828	
	<i>crataegi</i> (Linnaeus, 1758)	
	Lasiocampinae	
	<i>Eriogaster</i> Germar, 1810	
	<i>lanestris</i> (Linnaeus, 1758)	
	<i>Malacosoma</i> Hübner, 1820	
	<i>neustria</i> (Linnaeus, 1758)	
	<i>castrensis</i> (Linnaeus, 1758)	
	<i>Lasiocampa</i> Schrank, 1802	
	<i>trifolii</i> (D. & S., 1775)	
	<i>quercus</i> (Linnaeus, 1758)	
	<i>Macrothylacia</i> Rambur, 1866	
	<i>rubi</i> (Linnaeus, 1758)	
	<i>Dendrolimus</i> Germar, 1812	
	<i>pini</i> (Linnaeus, 1758)	
	<i>Euthrix</i> Meigen, 1830	
	<i>potatoria</i> (Linnaeus, 1758)	
	<i>Cosmotriche</i> Hübner, 1820	
	<i>lobulina</i> (D. & S., 1775)	
	<i>Phyllodesma</i> Hübner, 1820	
	<i>ilicifolium</i> (Linnaeus, 1758)	
	<i>japonicum</i> (Leech, 1889)	
	<i>Gastropacha</i> Ochsenheimer, 1810	
	<i>quercifolia</i> (Linnaeus, 1758)	
	<i>populifolia</i> (D. & S., 1775)	
	<i>Odonestis</i> (Germar, 1812)	
	<i>pruni</i> (Linnaeus, 1758)	

	Bombycoidea	
	Endromidae	
	<i>Endromis</i> Ochsenheimer, 1810	
	<i>versicolora</i> (Linnaeus, 1758)	
	Saturniidae	
	Agliinae	
	<i>Aglia</i> Ochsenheimer, 1810	
	<i>tau</i> (Linnaeus, 1758)	
	Saturniinae	
	<i>Saturnia</i> Schrank, 1802	
	<i>pavonia</i> (Linnaeus, 1758)	
	Lemoniidae	
	<i>Lemonia</i> Hübner, 1820	
	<i>dumi</i> (Linnaeus, 1761)	
	Sphingidae	
	Smerinthinae	
	<i>Mimas</i> Hübner, 1819	
	<i>tiliae</i> (Linnaeus, 1758)	
	<i>Smerinthus</i> Latreille, 1802	
	<i>ocellatus</i> (Linnaeus, 1758)	
	<i>Laothoe</i> Fabricius, 1807	
	<i>populi</i> (Linnaeus, 1758)	
	<i>amurensis</i> (Fischer v. Waldheim, 1830)	
	Sphinginae	
	<i>Agrius</i> Hübner, 1819	
	<i>convolvuli</i> (Linnaeus, 1758)	
	<i>Acherontia</i> Laspeyres, 1809	
	<i>atropos</i> (Linnaeus, 1758)	
	<i>Sphinx</i> Linnaeus, 1758	
	<i>ligustri</i> Linnaeus, 1758)	
	<i>Hyloicus</i> Hübner, 1819	
	<i>pinastris</i> (Linnaeus, 1758)	
	Macroglossinae	
	<i>Hemaris</i> Dalman, 1877	
	<i>tityus</i> (Linnaeus, 1758)	
	<i>fuciformis</i> (Linnaeus, 1758)	

	<i>Macroglossum</i> Scopoli, 1777	
	<i>stellatarum</i> (Linnaeus, 1758)	
	<i>Daphnis</i> Hübner, 1819	
	<i>nerii</i> (Linnaeus, 1758)	
	<i>Hyles</i> Hübner, 1819	
	<i>euphorbiae</i> (Linnaeus, 1758)	
	<i>gallii</i> (Rottemburg, 1775)	
	<i>livornica</i> (Esper, 1779)	
	<i>Deilephila</i> Laspeyres, 1809	
	<i>elpenor</i> (Linnaeus, 1758)	
	<i>porcellus</i> (Linnaeus, 1758)	
	Hesperioidea	
	Hesperiidae	
	Pyrginae	
	<i>Erynnis</i> Schrank, 1801	
	<i>tages</i> (Linnaeus, 1758)	
	<i>Carcharodus</i> Hübner, 1819	
	<i>flocciferus</i> (Zeller, 1847)	
	<i>Pyrgus</i> Hübner, 1819	
	<i>malvae</i> (Linnaeus, 1758)	
	<i>serratulae</i> (Rambur, 1839)	
	<i>alveus</i> (Hübner, 1803)	
	Heteropterinae	
	<i>Heteropterus</i> Duméril, 1806	
	<i>morpheus</i> (Pallas, 1771)	
	<i>Carterocephalus</i> Lederer, 1852	
	<i>palaemon</i> (Pallas, 1771)	
	<i>silvicola</i> (Meigen, 1829)	
	Hesperiinae	
	<i>Thymelicus</i> Hübner, 1819	
	<i>lineola</i> (Ochsenheimer, 1808)	
	<i>sylvestris</i> (Poda, 1761)	
	<i>Hesperia</i> Fabricius, 1793	
	<i>comma</i> (Linnaeus, 1758)	
	<i>Ochlodes</i> Scudder, 1872	
	<i>sylvanus</i> (Esper, 1777)	

	Papilionoidea	
	Papilionidae	
	Parnassiinae	
	<i>Parnassius</i> Latreille, 1804	
	<i>mnemosyne</i> (Linnaeus, 1758)	
	Papilioninae	
	<i>Iphiclides</i> Hübner, 1819	
	<i>podalirius</i> (Linnaeus, 1758)	
	<i>Papilio</i> Linnaeus, 1758	
	<i>machaon</i> Linnaeus, 1758	
	Pieridae	
	Dismorphiinae	
	<i>Leptidea</i> Billberg, 1820	
	<i>sinapis</i> (Linnaeus, 1758)	
	<i>reali</i> Reissinger, 1989	198
	Pierinae	
	<i>Anthocharis</i> B.,R.,D., & G., 1833	
	<i>cardamines</i> (Linnaeus, 1758)	
	<i>Aporia</i> Hübner, 1819	
	<i>crataegi</i> (Linnaeus, 1758)	
	<i>Pieris</i> Schrank, 1801	
	<i>brassicae</i> (Linnaeus, 1758)	
	<i>rapae</i> (Linnaeus, 1758)	
	<i>napi</i> (Linnaeus, 1758)	
	<i>Pontia</i> Fabricius, 1807	
	<i>daplidice</i> (Linnaeus, 1758)	
	Coliadinae	
	<i>Colias</i> Fabricius, 1807	
	<i>palaeno</i> (Linnaeus, 1761)	
	<i>crocea</i> (Geoffroy, 1785)	
	<i>hyale</i> (Linnaeus, 1758)	
	<i>Gonepteryx</i> Leach, 1815	
	<i>rhamni</i> (Linnaeus, 1758)	
	Lycaenidae	
	Riodininae	
	<i>Hamearis</i> Hübner, 1819	
	<i>lucina</i> (Linnaeus, 1758)	

Lycaeninae		
	<i>Lycaena</i> Fabricius, 1807	
	<i>phlaeas</i> (Linnaeus, 1761)	
	<i>helle</i> (D. & S., 1775)	
	<i>dispar</i> (Haworth, 1802)	
	<i>virgaureae</i> (Linnaeus, 1758)	
	<i>tityrus</i> (Poda, 1761)	
	<i>alciphron</i> (Rottemburg, 1775)	
	<i>hippotoe</i> (Linnaeus, 1761)	
	<i>Thecla</i> Fabricius, 1807	
	<i>betulae</i> (Linnaeus, 1758)	
	<i>Favonius</i> Sibatani & Ito, 1942	
	<i>quercus</i> (Linnaeus, 1758)	
	<i>Callophrys</i> Billberg, 1820	
	<i>rubi</i> (Linnaeus, 1758)	
	<i>Satyrium</i> Scudder, 1876	
	<i>w-album</i> (Knoch, 1782)	
	<i>pruni</i> (Linnaeus, 1758)	
	<i>ilicis</i> (Esper, 1779)	
	<i>Cupido</i> Schrank, 1801	
	<i>minimus</i> (Fuessly, 1775)	
	<i>argiades</i> (Pallas, 1771)	
	<i>Celastrina</i> Tutt, 1907	
	<i>argiolus</i> (Linnaeus, 1758)	
	<i>Pseudophilotes</i> Beuret, 1958	
	<i>vicrama</i> (Moore, 1865)	
	<i>Scolitantides</i> Hübner, 1819	
	<i>orion</i> (Pallas, 1771)	199
	<i>Glaucopsyche</i> Scudder, 1872	
	<i>alexis</i> (Poda, 1761)	
	<i>Maculinea</i> van Eecke, 1915	
	<i>arion</i> (Linnaeus, 1758)	
	<i>alcon</i> (D. & S., 1775)	200
	<i>Plebeius</i> Kluk, 1780	
	<i>argus</i> (Linnaeus, 1758)	
	<i>idas</i> (Linnaeus, 1761)	
	<i>optilete</i> (Knoch, 1781)	
	<i>Aricia</i> Reichenbach, 1817	
	<i>eumedon</i> (Esper, 1780)	
	<i>artaxerxes</i> (Fabricius, 1793)	

	<i>Polyommatus</i> Latreille, 1804	
	<i>semiargus</i> (Rottemburg, 1775)	
	<i>amandus</i> (Schneider, 1792)	
	<i>icarus</i> (Rottemburg, 1775)	
	<i>bellargus</i> (Rottemburg, 1775)	
	<i>coridon</i> (Poda, 1761)	
	Nymphalidae	
	Heliconiinae	
	<i>Argynnis</i> Fabricius, 1807	
	<i>paphia</i> (Linnaeus, 1758)	
	<i>aglaja</i> (Linnaeus, 1758)	
	<i>adippe</i> (D. & S., 1775)	
	<i>niobe</i> (Linnaeus, 1758)	
	<i>laodice</i> (Pallas, 1771)	
	<i>Issoria</i> Hübner, 1819	
	<i>lathonia</i> (Linnaeus, 1758)	
	<i>Brenthis</i> Hübner, 1819	
	<i>ino</i> (Rottemburg, 1775)	
	<i>Boloria</i> Moore, 1900	
	<i>eunomia</i> (Esper, 1799)	
	<i>euphrosyne</i> (Linnaeus, 1758)	
	<i>titania</i> (Esper, 1793)	
	<i>selene</i> (D. & S., 1775)	
	<i>freija</i> (Thunberg, 1791)	201
	<i>dia</i> (Linnaeus, 1767)	
	<i>frigga</i> (Thunberg, 1791)	
	<i>aquilonaris</i> (Stichel, 1908)	
	Nymphalinae	
	<i>Vanessa</i> Fabricius, 1807	
	<i>atalanta</i> (Linnaeus, 1758)	
	<i>cardui</i> (Linnaeus, 1758)	
	<i>Inachis</i> Hübner, 1819	
	<i>io</i> (Linnaeus, 1758)	
	<i>Aglais</i> Dalman, 1816	
	<i>urticae</i> (Linnaeus, 1758)	
	<i>Polygonia</i> Hübner, 1819	
	<i>c-album</i> (Linnaeus, 1758)	
	<i>Araschnia</i> Hübner, 1819	
	<i>levana</i> (Linnaeus, 1758)	
	<i>Nymphalis</i> Kluk, 1802	
	<i>polychloros</i> (Linnaeus, 1758)	
	<i>xanthomelas</i> (Esper, 1781)	
	<i>antiopa</i> (Linnaeus, 1758)	
	<i>vaualbum</i> (D. & S., 1775)	202

	<i>Euphydryas</i> Scudder, 1872	
	<i>matura</i> (Linnaeus, 1758)	
	<i>aurinia</i> (Rottemburg, 1775)	
	<i>Melitaea</i> Fabricius, 1807	
	<i>cinxia</i> (Linnaeus, 1758)	
	<i>phoebe</i> (D. & S., 1775)	
	<i>didyma</i> (Esper, 1778)	
	<i>diamina</i> (Lang, 1789)	
	<i>aurelia</i> Nickerl, 1850	
	<i>athalia</i> (Rottemburg, 1775)	
	Limenitinae	
	<i>Limenitis</i> Fabricius, 1807	
	<i>populi</i> (Linnaeus, 1758)	
	<i>camilla</i> (Linnaeus, 1764)	
	Apaturinae	
	<i>Apatura</i> Fabricius, 1807	
	<i>ilia</i> (D. & S., 1775)	
	<i>iris</i> (Linnaeus, 1758)	
	Satyrinae	
	<i>Pararge</i> Hübner, 1819	
	<i>aegeria</i> (Linnaeus, 1758)	
	<i>Lasiommata</i> Westwood, 1841	
	<i>petropolitana</i> (Fabricius, 1787)	
	<i>maera</i> (Linnaeus, 1758)	
	<i>Lopinga</i> Moore, 1893	
	<i>achine</i> (Scopoli, 1763)	
	<i>Coenonympha</i> Hübner, 1819	
	<i>tullia</i> (Müller, 1764)	
	<i>arcania</i> (Linnaeus, 1761)	
	<i>glycerion</i> (Borkhausen, 1788)	
	<i>hero</i> (Linnaeus, 1761)	
	<i>pamphilus</i> (Linnaeus, 1758)	
	<i>Aphantopus</i> Wallengren, 1853	
	<i>hyperantus</i> (Linnaeus, 1758)	
	<i>Maniola</i> Schrank, 1801	
	<i>jurtina</i> (Linnaeus, 1758)	
	<i>Hyponephele</i> Muschamp, 1915	
	<i>lycaon</i> (Rottemburg, 1775)	
	<i>Erebia</i> Dalman, 1816	
	<i>ligea</i> (Linnaeus, 1758)	
	<i>embla</i> (Thunberg, 1791)	

	<i>Melanargia</i> Meigen, 1828	
	<i>galathea</i> (Linnaeus, 1758)	
	<i>Hipparchia</i> Fabricius, 1807	
	<i>semele</i> (Linnaeus, 1758)	
	<i>Oeneis</i> Hübner, 1819	
	<i>jutta</i> (Hübner, 1806)	
	Drepanoidea	
	Drepanidae	
	Thyatirinae	
	<i>Thyatira</i> Ochsenheimer, 1816	
	<i>batis</i> (Linnaeus, 1758)	
	<i>Habrosyne</i> Hübner, 1821	
	<i>pyritoides</i> (Hufnagel, 1766)	
	<i>Tethea</i> Ochsenheimer, 1816	
	<i>ocularis</i> (Linnaeus, 1767)	
	<i>or</i> (D. & S., 1775)	
	<i>Tetheella</i> Werny, 1966	
	<i>fluctuosa</i> (Hübner, 1803)	
	<i>Ochropacha</i> Wallengren, 1871	
	<i>duplaris</i> (Linnaeus, 1761)	
	<i>Achlya</i> Billberg, 1820	
	<i>flavicornis</i> (Linnaeus, 1758)	
	Drepaninae	
	<i>Falcaria</i> Haworth, 1809	
	<i>lacertinaria</i> (Linnaeus, 1758)	
	<i>Watsonalla</i> Minet, 1985	
	<i>binaria</i> (Hufnagel, 1767)	
	<i>Drepana</i> Schrank, 1802	
	<i>curvatula</i> (Borkhausen, 1790)	
	<i>falcataria</i> (Linnaeus, 1758)	
	<i>Sabra</i> Bode, 1907	
	<i>harpagula</i> (Esper, 1786)	
	Geometroidea	
	Uraniidae	
	Epipleminae	
	<i>Eversmannia</i> Staudinger, 1871	
	<i>exornata</i> (Eversmann, 1837)	204

	Geometridae	
	Archiearinae	
	<i>Archiearis</i> Hübner, 1823	
	<i>parthenias</i> (Linnaeus, 1761)	
	<i>notha</i> (Hübner, 1803)	
	Ennominae	
	<i>Abraxas</i> Leach, 1815	
	<i>grossulariatus</i> (Linnaeus, 1758)	
	<i>Calospilos</i> Hübner, 1825	
	<i>sylvatus</i> (Scopoli, 1763)	
	<i>Lomaspilis</i> Hübner, 1825	
	<i>marginata</i> (Linnaeus, 1758)	
	<i>opis</i> (Butler, 1878)	
	<i>Ligdia</i> Guenée, 1857	
	<i>adustata</i> (D. & S., 1775)	
	<i>Stegania</i> Guenée, 1845	
	<i>cararia</i> (Hübner, 1790)	
	<i>Macaria</i> Curtis, 1826	
	<i>notata</i> (Linnaeus, 1758)	
	<i>alternata</i> (D. & S., 1775)	
	<i>signaria</i> (Hübner, 1809)	
	<i>liturata</i> (Clerck, 1759)	
	<i>wauaria</i> (Linnaeus, 1758)	
	<i>artesiaria</i> (D. & S., 1775)	
	<i>carbonaria</i> (Clerck, 1759)	
	<i>Chiasmia</i> Hübner, 1823	
	<i>clathrata</i> (Linnaeus, 1758)	
	<i>Narraga</i> Walker, 1861	
	<i>fasciolaria</i> (Hufnagel, 1767)	
	<i>Itame</i> Hübner, 1823	
	<i>brunneata</i> (Thunberg, 1784)	
	<i>loricaria</i> (Eversmann, 1837)	
	<i>Cepphis</i> Hübner, 1823	
	<i>advenaria</i> (Hübner, 1790)	
	<i>Petrophora</i> Hübner, 1811	
	<i>chlorosata</i> (Scopoli, 1763)	
	<i>Plagodis</i> Hübner, 1823	
	<i>pulveraria</i> (Linnaeus, 1758)	
	<i>dolabraria</i> (Linnaeus, 1767)	

	<i>Opisthograptis</i> Hübner, 1823	
	<i>luteolata</i> (Linnaeus, 1758)	
	<i>Epione</i> Duponchel, 1829	
	<i>repandaria</i> (Hufnagel, 1767)	
	<i>vespertina</i> (Linnaeus, 1767)	
	<i>Pseudopanthera</i> Hübner, 1823	
	<i>macularia</i> (Linnaeus, 1758)	
	<i>Hypoxystis</i> Prout, 1915	
	<i>pluviaria</i> (Fabricius, 1787)	
	<i>Apeira</i> Gistel, 1848	
	<i>syringaria</i> (Linnaeus, 1758)	
	<i>Ennomos</i> Treitschke, 1825	
	<i>autumnarius</i> (Werneburg, 1859)	
	<i>alniarius</i> (Linnaeus, 1758)	
	<i>fuscantarius</i> (Haworth, 1809)	
	<i>erosarius</i> (D. & S., 1775)	
	<i>Selenia</i> Hübner, 1823	
	<i>dentaria</i> (Fabricius, 1775)	
	<i>lunularia</i> (Hübner, 1788)	
	<i>tetralunaria</i> (Hufnagel, 1767)	
	<i>Odontoptera</i> Stephans, 1831	
	<i>bidentata</i> (Clerck, 1759)	
	<i>Crocallis</i> Treitschke, 1825	
	<i>elinguaria</i> (Linnaeus, 1758)	
	<i>Ourapteryx</i> Leach, 1814	
	<i>sambucaria</i> (Linnaeus, 1758)	
	<i>Colotois</i> Hübner, 1823	
	<i>pennaria</i> (Linnaeus, 1761)	
	<i>Angerona</i> Duponchel, 1829	
	<i>prunaria</i> (Linnaeus, 1758)	
	<i>Phigalia</i> Duponchel, 1829	
	<i>pilosaria</i> (D. & S., 1775)	
	<i>Lycia</i> Hübner, 1825	
	<i>hirtaria</i> (Clerck, 1759)	
	<i>lapponaria</i> (Boisduval, 1840)	
	<i>pomonaria</i> (Hübner, 1790)	
	<i>Biston</i> Leach, 1815	
	<i>stratarius</i> (Hufnagel, 1767)	
	<i>betularius</i> (Linnaeus, 1758)	

	<i>Agriopsis</i> Hübner, 1825	
	<i>aurantiaria</i> (Hübner, 1799)	
	<i>marginaria</i> (Fabricius, 1776)	
	<i>Erannis</i> Hübner, 1825	
	<i>defoliaria</i> (Clerck, 1759)	
	<i>Peribatodes</i> Wehrli, 1943	
	<i>secundarius</i> (D. & S., 1775)	
	<i>Selidosema</i> Hübner, 1823	
	<i>brunnearium</i> (de Villers, 1789)	
	<i>Cleora</i> Curtis, 1825	
	<i>cinctaria</i> (D. & S., 1775)	
	<i>Deileptenia</i> Hübner, 1825	
	<i>ribeata</i> (Clerck, 1759)	
	<i>Alcis</i> Curtis, 1826	
	<i>repandatus</i> (Linnaeus, 1758)	
	<i>bastelbergeri</i> (Hirschke, 1908)	
	<i>jubatus</i> (Thunberg, 1788)	
	<i>Arichanna</i> Moore, 1868	
	<i>melanaria</i> (Linnaeus, 1758)	
	<i>Hypomecis</i> Hübner, 1821	
	<i>roboraria</i> (D. & S., 1775)	
	<i>punctinalis</i> (Scopoli, 1763)	
	<i>Cleorodes</i> Warren, 1894	
	<i>lichenarius</i> (Hufnagel, 1767)	
	<i>Ectropis</i> Hübner, 1825	
	<i>crepuscularia</i> (D. & S., 1775)	
	<i>Paradarisa</i> Warren, 1894	
	<i>consonaria</i> (Hübner, 1799)	
	<i>Parectropis</i> Sato, 1980	
	<i>similaria</i> (Hufnagel, 1767)	
	<i>Aethalura</i> McDunnough, 1920	
	<i>punctulata</i> (D. & S., 1775)	
	<i>Ematurga</i> Lederer, 1853	
	<i>atomaria</i> (Linnaeus, 1758)	
	<i>Bupalus</i> Leach, 1815	
	<i>piniarius</i> (Linnaeus, 1758)	
	<i>Cabera</i> Treitschke, 1825	
	<i>pusaria</i> (Linnaeus, 1758)	
	<i>leptographa</i> Wehrli, 1936	
	<i>exanthemata</i> (Scopoli, 1763)	

	<i>Lomographa</i> Hübner, 1825	
	<i>bimaculata</i> (Fabricius, 1775)	
	<i>temerata</i> (D. & S., 1775)	
	<i>Campaea</i> Lamarck, 1816	
	<i>margaritaria</i> (Linnaeus, 1761)	
	<i>Hylaea</i> Hübner, 1822	
	<i>fasciaria</i> (Linnaeus, 1758)	
	<i>Gnophos</i> Treitschke, 1825	
	<i>obfuscatus</i> (D. & S., 1775)	
	<i>Charissa</i> Curtis, 1826	
	<i>obscurata</i> (D. & S., 1775)	
	<i>ambiguata</i> (Duponchel, 1830)	
	<i>Elophos</i> Boisduval, 1840	
	<i>vittaria</i> (Thunberg, 1788)	205
	<i>Siona</i> Duponchel, 1829	
	<i>lineata</i> (Scopoli, 1763)	
	<i>Aspitates</i> Treitschke, 1825	
	<i>gilvaria</i> (D. & S., 1775)	
	<i>Perconia</i> Hübner, 1823	
	<i>strigillaria</i> (Hübner, 1787)	
	Oenochrominae	
	<i>Epirranthis</i> Hübner, 1823	
	<i>diversata</i> (D. & S., 1775)	
	<i>Alsophila</i> Hübner, 1823	
	<i>aescularia</i> (D. & S., 1775)	
	Geometrinae	
	<i>Geometra</i> Linnaeus, 1758	
	<i>papilionaria</i> (Linnaeus, 1758)	
	<i>Comibaena</i> Hübner, 1823	
	<i>bajularia</i> (D. & S., 1775)	
	<i>Thetidia</i> Boisduval, 1840	
	<i>smaragdaria</i> (Fabricius, 1787)	
	<i>Hemithea</i> Duponchel, 1829	
	<i>aestivaria</i> (Hübner, 1789)	
	<i>Chlorissa</i> Stephens, 1831	
	<i>viridata</i> (Linnaeus, 1758)	
	<i>cloraria</i> (Hübner, 1813)	206

	<i>Thalera</i> Hübner, 1823	
	<i>fimbrialis</i> (Scopoli, 1763)	
	<i>Hemistola</i> Warren, 1893	
	<i>chrysoprasaria</i> (Esper, 1795)	
	<i>Jodis</i> Hübner, 1823	
	<i>lactearia</i> (Linnaeus, 1758)	
	<i>putata</i> (Linnaeus, 1758)	
	Sterrhinae	
	<i>Cyclophora</i> Hübner, 1822	
	<i>pendularia</i> (Clerck, 1759)	
	<i>annularia</i> (Fabricius, 1775)	
	<i>albipunctata</i> (Hufnagel, 1767)	
	<i>quercimontaria</i> (Bastelberger, 1897)	
	<i>punctaria</i> (Linnaeus, 1758)	
	<i>Timandra</i> Duponchel, 1829	
	<i>griseata</i> W. Petersen, 1902	
	<i>comai</i> A. Schmidt, 1931	
	<i>Scopula</i> Schrank, 1802	
	<i>immorata</i> (Linnaeus, 1758)	
	<i>corrivalaria</i> (Kretschmar, 1862)	
	<i>caricaria</i> (Reutti, 1853)	
	<i>nemoraria</i> (Hübner, 1799)	207
	<i>nigropunctata</i> (Hufnagel, 1767)	
	<i>virgulata</i> (D. & S., 1775)	
	<i>ornata</i> (Scopoli, 1763)	
	<i>decorata</i> (D. & S., 1775)	
	<i>rubiginata</i> (Hufnagel, 1767)	
	<i>marginepunctata</i> (Goeze, 1781)	208
	<i>incanata</i> (Linnaeus, 1758)	
	<i>immutata</i> (Linnaeus, 1758)	
	<i>ternata</i> (Schrank, 1802)	
	<i>floslactata</i> (Haworth, 1809)	
	<i>Idaea</i> Treitschke, 1825	
	<i>ochrata</i> (Scopoli, 1763)	
	<i>serpentata</i> (Hufnagel, 1767)	
	<i>muricata</i> (Hufnagel, 1767)	
	<i>sylvestriaria</i> (Hübner, 1799)	
	<i>biselata</i> (Hufnagel, 1767)	
	<i>humiliata</i> (Hufnagel, 1767)	
	<i>seriata</i> (Schrank, 1802)	
	<i>dimidiata</i> (Hufnagel, 1767)	
	<i>pallidata</i> (D. & S., 1775)	
	<i>emarginata</i> (Linnaeus, 1758)	
	<i>aversata</i> (Linnaeus, 1758)	
	<i>straminata</i> (Borkhausen, 1794)	
	<i>deversaria</i> (Herrich-Schäffer, 1847)	

	<i>Rhodothropia</i> Hübner, 1823	
	<i>vibicaria</i> (Clerck, 1759)	
	<i>Rhometra</i> Meyrick, 1892	
	<i>sacraria</i> (Linnaeus, 1767)	
	<i>Lythria</i> Hübner, 1823	209
	<i>purpuraria</i> (Linnaeus, 1758)	210
	<i>cruentaria</i> (Hufnagel, 1767)	
	Larentiinae	211
	<i>Phibalapteryx</i> Stephens, 1829	
	<i>virgata</i> (Hufnagel, 1767)	
	<i>Scotopteryx</i> Hübner, 1825	
	<i>chenopodiata</i> (Linnaeus, 1758)	
	<i>Ochyria</i> Hübner, 1825	
	<i>quadrifasciata</i> (Clerck, 1759)	
	<i>Orthonama</i> Hübner, 1825	
	<i>vittatum</i> (Borkhausen, 1794)	
	<i>obstipatum</i> (Fabricius, 1794)	
	<i>Xanthorhoe</i> Hübner, 1825	
	<i>biriviata</i> (Borkhausen, 1794)	
	<i>designata</i> (Hufnagel, 1767)	
	<i>decoloraria</i> (Esper, 1806)	212
	<i>spadicearia</i> (D. & S., 1775)	
	<i>ferrugata</i> (Clerck, 1759)	
	<i>montanata</i> (D. & S., 1775)	
	<i>fluctuata</i> (Linnaeus, 1758)	
	<i>annotinata</i> (Zetterstedt, 1839)	
	<i>Catarhoe</i> Herbulot, 1951	
	<i>rubidata</i> (D. & S., 1775)	
	<i>cuculata</i> (Hufnagel, 1767)	
	<i>Epirrhoe</i> Hübner, 1825	
	<i>hastulata</i> (Hübner, 1790)	
	<i>pupillata</i> (Thunberg, 1788)	
	<i>tristata</i> (Linnaeus, 1758)	
	<i>alternata</i> (Müller, 1764)	
	<i>tartuensis</i> Möls, 1965	
	<i>rivata</i> (Hübner, 1813)	
	<i>galiata</i> (D. & S., 1775)	
	<i>Costaconvexa</i> Agenjo, 1949	
	<i>polygrammata</i> (Borkhausen, 1794)	213
	<i>Camptogramma</i> Stephens, 1831	
	<i>bilineatum</i> (Linnaeus, 1758)	
	<i>Entephria</i> Hübner, 1825	
	<i>caesiata</i> (D. & S., 1775)	214

	<i>Larentia</i> Treitschke, 1825	
	<i>clavaria</i> (Haworth, 1809)	
	<i>Anticlea</i> Stephens, 1831	
	<i>badiata</i> (D. & S., 1775)	215
	<i>derivata</i> (D. & S., 1775)	216
	<i>Mesoleuca</i> Hübner, 1825	
	<i>albicillata</i> (Linnaeus, 1758)	
	<i>Pelurga</i> Hübner, 1825	
	<i>comitata</i> (Linnaeus, 1758)	
	<i>Lampropteryx</i> Stephens, 1831	
	<i>suffumata</i> (D. & S., 1775)	
	<i>otregiata</i> (Metcalf, 1917)	
	<i>Cosmorhoe</i> Hübner, 1825	
	<i>ocellata</i> (Linnaeus, 1758)	
	<i>Eulithis</i> Hübner, 1821	
	<i>prunata</i> (Linnaeus, 1758)	
	<i>testata</i> (Linnaeus, 1761)	
	<i>populata</i> (Linnaeus, 1758)	
	<i>mellinata</i> (Fabricius, 1787)	
	<i>pyraliata</i> (D. & S., 1775)	
	<i>pyropata</i> (Hübner, 1809)	
	<i>Ecliptopera</i> Warren, 1894	
	<i>silaceata</i> (D. & S., 1775)	
	<i>capitata</i> (Herrich-Schäffer, 1839)	
	<i>Chloroclysta</i> Hübner, 1825	
	<i>siterata</i> (Hufnagel, 1767)	
	<i>miata</i> (Linnaeus, 1758)	217
	<i>citrata</i> (Linnaeus, 1761)	
	<i>infuscata</i> (Tengström, 1869)	
	<i>latefasciata</i> (Prout, 1914)	
	<i>truncata</i> (Hufnagel, 1767)	
	<i>Cidaria</i> Treitschke, 1825	
	<i>fulvata</i> (Forster, 1771)	
	<i>Plemyria</i> Hübner, 1825	
	<i>rubiginata</i> (D. & S., 1775)	
	<i>Pennithera</i> Viidalepp, 1980	
	<i>firmata</i> (Hübner, 1822)	
	<i>Thera</i> Stephens, 1831	
	<i>obeliscata</i> (Hübner, 1787)	
	<i>variata</i> (D. & S., 1775)	
	<i>cognata</i> (Thunberg, 1792)	
	<i>juniperata</i> (Linnaeus, 1758)	
	<i>serraria</i> (Lienig & Zeller, 1846)	

	<i>Eustroma</i> Hübner, 1825	
	<i>reticulatum</i> (D. & S., 1775)	
	<i>Electrophaes</i> Prout, 1923	
	<i>corylata</i> (Thunberg, 1792)	
	<i>Colostygia</i> Hübner, 1825	
	<i>aptata</i> (Hübner, 1813)	
	<i>olivata</i> (D. & S., 1775)	
	<i>pectinataria</i> (Knoch, 1781)	
	<i>Hydriomena</i> Hübner, 1825	
	<i>furcata</i> (Thunberg, 1784)	
	<i>impluviata</i> (D. & S., 1775)	
	<i>ruberata</i> (Freyer, 1831)	
	<i>Coenocalpe</i> Hübner, 1825	
	<i>lapidata</i> (Hübner, 1809)	218
	<i>Horisme</i> Hübner, 1825	
	<i>vitalbata</i> (D. & S., 1775)	
	<i>tersata</i> (D. & S., 1775)	
	<i>aemulata</i> (Hübner, 1813)	
	<i>Spargania</i> Guenée, 1857	
	<i>luctuata</i> (D. & S., 1775)	
	<i>Rheumaptera</i> Hübner, 1822	
	<i>hastata</i> (Linnaeus, 1758)	
	<i>subhastata</i> (Nolcken, 1870)	
	<i>cervinalis</i> (Scopoli, 1763)	
	<i>undulata</i> (Linnaeus, 1758)	
	<i>Triphosa</i> Stephens, 1829	
	<i>dubitata</i> (Linnaeus, 1758)	
	<i>Baptria</i> Hübner, 1825	
	<i>tibiale</i> (Esper, 1791)	219
	<i>Philereme</i> Hübner, 1825	
	<i>vetulata</i> (D. & S., 1775)	
	<i>transversata</i> (Hufnagel, 1767)	
	<i>Euphyia</i> Hübner, 1825	
	<i>biangulata</i> (Haworth, 1809)	
	<i>unangulata</i> (Haworth, 1809)	
	<i>Epirrita</i> Hübner, 1822	
	<i>dilatata</i> (D. & S., 1775)	
	<i>christyi</i> (Allen, 1906)	
	<i>autumnata</i> (Borkhausen, 1794)	
	<i>Operophtera</i> Hübner, 1825	
	<i>brumata</i> (Linnaeus, 1758)	
	<i>fagata</i> (Scharfenberg, 1805)	

	<i>Mesotype</i> Hübner, 1825	
	<i>didymata</i> (Linnaeus, 1758)	
	<i>parallellineata</i> (Retzius, 1783)	
	<i>Perizoma</i> Hübner, 1825	
	<i>affinitatum</i> (Stephens, 1831)	
	<i>alchemillatum</i> (Linnaeus, 1758)	
	<i>hydratum</i> (Treitschke, 1829)	
	<i>bifaciatum</i> (Haworth, 1809)	
	<i>blandiatum</i> (D. & S., 1775)	
	<i>albulatum</i> (D. & S., 1775)	
	<i>flavofasciatum</i> (Thunberg, 1792)	
	<i>Martania</i> Mironov, 2000	
	<i>taeniata</i> (Stephens, 1831)	
	<i>Gagitodes</i> Warren, 1893	
	<i>sagittatus</i> (Fabricius, 1787)	
	<i>Gymnoscelis</i> Mabilie, 1868	
	<i>ruffifasciata</i> (Haworth, 1809)	
	<i>Chloroclystis</i> Hübner, 1825	
	<i>v-ata</i> (Haworth, 1809)	
	<i>Pasiphila</i> Meyrick, 1883	
	<i>chloerata</i> (Mabilie, 1870)	
	<i>rectangulata</i> (Linnaeus, 1758)	
	<i>debiliata</i> (Hübner, 1817)	
	<i>Eupithecia</i> Curtis, 1825	
	<i>tenuiata</i> (Hübner, 1813)	
	<i>inturbata</i> (Hübner, 1817)	
	<i>abietaria</i> (Goeze, 1781)	
	<i>analoga</i> Djakonov, 1926	
	<i>linariata</i> (D. & S., 1775)	
	<i>plumbeolata</i> (Haworth, 1809)	
	<i>pygmaeata</i> (Hübner, 1799)	
	<i>venosata</i> (Fabricius, 1787)	
	<i>abbreviata</i> Stephens, 1831	220
	<i>dodoneata</i> Guenée, 1858	221
	<i>pusillata</i> (D. & S., 1775)	
	<i>tripunctaria</i> Herrich-Schäffer, 1852	
	<i>virgaureata</i> Doubleday, 1861	
	<i>tantillaria</i> Boisduval, 1840	
	<i>lariciata</i> (Freyer, 1841)	
	<i>lanceata</i> (Hübner, 1825)	
	<i>selinata</i> Herrich-Schäffer, 1861	
	<i>actaeata</i> Walderdorff, 1869	
	<i>egenaria</i> Herrich-Schäffer, 1848	
	<i>pimpinellata</i> (Hübner, 1813)	
	<i>simpliciata</i> (Haworth, 1809)	
	<i>sinuosaria</i> (Eversmann, 1848)	
	<i>gelidata</i> Möschler, 1860	

<i>nanata</i> (Hübner, 1813)	
<i>innotata</i> (Hufnagel, 1767)	
<i>ochridata</i> Schütze & Pinker, 1968	
<i>indigata</i> (Hübner, 1813)	
<i>conterminata</i> (Lienig & Zeller, 1846)	
<i>distinctaria</i> Herrich-Schäffer, 1848	
<i>centaureata</i> (D. & S., 1775)	
<i>tresignaria</i> Herrich-Schäffer, 1848	
<i>intricata</i> (Zetterstedt, 1839)	
<i>satyrata</i> (Hübner, 1813)	
<i>cauchiata</i> (Duponchel, 1831)	
<i>absinthiata</i> (Clerk, 1759)	
<i>goossensiata</i> Mabille, 1869	
<i>expallidata</i> Doubleday, 1856	
<i>valerianata</i> (Hübner, 1813)	
<i>assimilata</i> Doubleday, 1856	
<i>vulgata</i> (Haworth, 1809)	
<i>immundata</i> (Lienig & Zeller, 1846)	
<i>thalictrata</i> (Püngeler, 1902)	
<i>exiguata</i> (Hübner, 1813)	
<i>denotata</i> (Hübner, 1813)	
<i>millefoliata</i> Rössler, 1866	
<i>icterata</i> (de Villers, 1789)	
<i>succenturiata</i> (Linnaeus, 1758)	
<i>subumbrata</i> (D. & S., 1775)	
<i>orphnata</i> W. Petersen, 1909	222
<i>subfuscata</i> (Haworth, 1809)	
<i>Anticollix</i> Prout, 1938	
<i>sparsatus</i> (Treitschke, 1828)	
<i>Chesias</i> Treitschke, 1825	
<i>legatella</i> (D. & S., 1775)	223
<i>Carsia</i> Hübner, 1825	
<i>sororiata</i> (Hübner, 1813)	
<i>Aplocera</i> Stephens, 1827	
<i>plagiata</i> (Linnaeus, 1758)	
<i>efformata</i> (Guenée, 1857)	224
<i>praeformata</i> (Hübner, 1826)	
<i>Odezia</i> Boisduval, 1840	
<i>atrata</i> (Linnaeus, 1758)	
<i>Lithostege</i> Hübner, 1825	
<i>farinata</i> (Hufnagel, 1767)	
<i>Venusia</i> Curtis, 1839	
<i>blomeri</i> (Curtis, 1832)	
<i>cambrica</i> Curtis, 1839	225
<i>Euchoeca</i> Hübner, 1825	
<i>nebulata</i> (Scopoli, 1763)	

	<i>Asthena</i> Hübner, 1825	
	<i>albulata</i> (Hufnagel, 1767)	
	<i>anseraria</i> (Herrich-Schäffer, 1855)	
	<i>Hydrelia</i> Hübner, 1825	
	<i>flammeolaria</i> (Hufnagel, 1767)	
	<i>sylvata</i> (D. & S., 1775)	
	<i>Lobophora</i> Curtis, 1825	
	<i>halterata</i> (Hufnagel, 1767)	
	<i>Trichopteryx</i> Hübner, 1825	
	<i>polycommata</i> (D. & S., 1775)	
	<i>carpinata</i> (Borkhausen, 1794)	
	<i>Pterapherapteryx</i> Curtis, 1825	
	<i>sexalata</i> (Retzius, 1783)	
	<i>Acasis</i> Duponchel, 1845	
	<i>viretata</i> (Hübner, 1799)	
	<i>appensata</i> (Eversmann, 1842)	226
	<i>Malacodea</i> Tengström, 1869	
	<i>regelaria</i> Tengström, 1869	227
	Noctuoidea	228
	Notodontidae	
	Thaumetopoeinae	
	Pygaerinae	
	<i>Pygaera</i> Ochsenheimer, 1810	
	<i>timon</i> (Hübner, 1803)	
	<i>Clostera</i> Samouille, 1819	
	<i>curtula</i> (Linnaeus, 1758)	
	<i>pigra</i> (Hufnagel, 1766)	
	<i>anachoreta</i> (D. & S., 1775)	
	<i>anastomosis</i> (Linnaeus, 1758)	
	Notodontinae	
	<i>Cerura</i> Schrank, 1802	
	<i>vinula</i> (Linnaeus, 1758)	
	<i>erminea</i> (Esper, 1783)	
	<i>Furcula</i> Lamarck, 1816	
	<i>furcula</i> (Clerck, 1759)	
	<i>bicuspis</i> (Borkhausen, 1790)	
	<i>bifida</i> (Brahm, 1787)	
	<i>Notodonta</i> Ochsenheimer, 1810	
	<i>dromedarius</i> (Linnaeus, 1758)	
	<i>torva</i> (Hübner, 1803)	
	<i>tritophus</i> (D. & S., 1775)	
	<i>ziczac</i> (Linnaeus, 1758)	

	<i>Drymonia</i> Hübner, 1819	
	<i>dodonaea</i> (D. & S., 1775)	
	<i>ruficornis</i> (Hufnagel, 1766)	
	<i>Pheosia</i> Hübner, 1819	
	<i>tremula</i> (Clerck, 1759)	
	<i>gnoma</i> (Fabricius, 1776)	
	<i>Pterostoma</i> Germar, 1812	
	<i>palpinum</i> (Clerck, 1759)	
	<i>Ptilophora</i> Stephens, 1828	
	<i>plumigera</i> (D. & S., 1775)	
	<i>Leucodonta</i> Staudinger, 1892	
	<i>bicoloria</i> (D. & S., 1775)	
	<i>Ptilodon</i> Hübner, 1822	
	<i>capucinus</i> (Linnaeus, 1758)	
	<i>cucullinus</i> (D. & S., 1775)	
	<i>Odontosia</i> Hübner, 1819	
	<i>carmelita</i> (Esper, 1799)	
	<i>sieversii</i> (Ménétriés, 1856)	
	<i>Gluphisia</i> Boisduval, 1828	
	<i>crenata</i> (Esper, 1785)	
	Phalerinae	
	<i>Phalera</i> Hübner, 1819	
	<i>bucephala</i> (Linnaeus, 1758)	
	<i>Peridea</i> Stephens, 1828	
	<i>anceps</i> (Goeze, 1781)	
	Heterocampinae	
	<i>Stauropus</i> Germar, 1812	
	<i>fagi</i> (Linnaeus, 1758)	
	Noctuidae	
	Acronictinae	
	<i>Moma</i> Hübner, 1820	
	<i>alpium</i> (Osbeck, 1778)	
	<i>Acronicta</i> Ochsenheimer, 1816	
	<i>alni</i> (Linnaeus, 1767)	
	<i>cuspis</i> (Hübner, 1813)	
	<i>tridens</i> (D. & S., 1775)	
	<i>psi</i> (Linnaeus, 1758)	
	<i>aceris</i> (Linnaeus, 1758)	

	<i>Acronicta</i> Ochsenheimer, 1816	
	<i>leporina</i> (Linnaeus, 1758)	
	<i>megacephala</i> (D. & S., 1775)	
	<i>strigosa</i> (D. & S., 1775)	
	<i>menyanthidis</i> (Esper, 1789)	
	<i>auricoma</i> (D. & S., 1775)	
	<i>euphorbiae</i> (D. & S., 1775)	229
	<i>cinerea</i> (Hufnagel, 1766)	
	<i>rumicis</i> (Linnaeus, 1758)	
	<i>Craniophora</i> Snellen, 1867	
	<i>ligustri</i> (D. & S., 1775)	
	<i>Simyra</i> Ochsenheimer, 1816	
	<i>albovenosa</i> (Goeze, 1781)	
	Bryophilinae	
	<i>Cryphia</i> Hübner, 1818	
	<i>ereptricula</i> (Treitschke, 1825)	
	<i>raptricula</i> (D. & S., 1775)	
	<i>Victrix</i> Staudinger, 1879	
	<i>umovii</i> (Eversmann, 1846)	
	Hermininae	
	<i>Paracolax</i> Hübner, 1825	
	<i>tristalis</i> (Fabricius, 1794)	
	<i>Macrochilo</i> Hübner, 1825	
	<i>cribrumalis</i> (Hübner, 1793)	
	<i>Herminia</i> Latreille, 1802	
	<i>tarsicrinalis</i> (Knoch, 1782)	
	<i>grisealis</i> (D. & S., 1775)	
	<i>Polypogon</i> Scrank, 1802	
	<i>tentacularius</i> (Linnaeus, 1758)	
	<i>Pechipogo</i> Hübner, 1825	
	<i>strigilata</i> (Linnaeus, 1758)	
	<i>Zanclognatha</i> Lederer, 1857	
	<i>tarsipennalis</i> Treitschke, 1835	
	Strepsimaninae	
	<i>Hypenodes</i> Doubleday, 1850	
	<i>humidalis</i> Doubleday, 1850	
	<i>Schrankia</i> Hübner, 1825	
	<i>costaestrigalis</i> (Stephens, 1834)	

	Catocalinae	
	<i>Catocala</i> Schrank, 1802	
	<i>sponsa</i> (Linnaeus, 1767)	
	<i>fraxini</i> (Linnaeus, 1758)	
	<i>nupta</i> (Linnaeus, 1767)	
	<i>adultera</i> Ménétériés, 1856	
	<i>promissa</i> (D. & S., 1775)	
	<i>pacta</i> (Linnaeus, 1758)	
	<i>fulminea</i> (Scopoli, 1763)	
	<i>Prodotis</i> John, 1910	
	<i>stolida</i> (Fabricius, 1775)	
	<i>Lygephila</i> Billberg, 1820	
	<i>pastinum</i> (Treitschke, 1826)	
	<i>viciae</i> (Hübner, 1822)	
	<i>craccae</i> (D. & S., 1775)	
	<i>Aedia</i> Hübner, 1823	
	<i>funesta</i> (Esper, 1786)	230
	<i>Tyta</i> Billberg, 1820	
	<i>luctuosa</i> (D. & S., 1775)	
	<i>Callistege</i> Hübner, 1823	
	<i>mi</i> (Clerck, 1759)	
	<i>Euclidia</i> Ochsenheimer, 1816	
	<i>glyphica</i> (Linnaeus, 1758)	
	<i>Laspeyria</i> Germar, 1810	
	<i>flexula</i> (D. & S., 1775)	
	Calpinae	
	<i>Scoliopteryx</i> Germar, 1810	
	<i>libatrix</i> (Linnaeus, 1758)	
	<i>Calyptra</i> Ochsenheimer, 1816	
	<i>thalictri</i> (Borkhausen, 1790)	231
	Hypeninae	
	<i>Hypena</i> Schrank, 1802	
	<i>proboscidalis</i> (Linnaeus, 1758)	
	<i>rostralis</i> (Linnaeus, 1758)	
	<i>crassalis</i> (Fabricius, 1787)	
	<i>Phytometra</i> Haworth, 1809	
	<i>viridaria</i> (Clerck, 1759)	
	<i>Rivula</i> Guenée, 1845	
	<i>sericealis</i> (Scopoli, 1763)	

	<i>Parascotia</i> Hübner, 1825	
	<i>fuliginaria</i> (Linnaeus, 1761)	
	<i>Colobochyla</i> Hübner, 1825	
	<i>salicalis</i> (D. & S., 1775)	
	Plusinae	
	<i>Euchalcia</i> Hübner, 1821	
	<i>modestoides</i> Poole, 1989	
	<i>Polychrysia</i> Hübner, 1821	
	<i>moneta</i> (Fabricius, 1787)	
	<i>Lamprotes</i> Reichenbach, 1817	
	<i>c-aureum</i> (Knoch, 1781)	
	<i>Diachrysia</i> Hübner, 1821	
	<i>chrysitis</i> (Linnaeus, 1758)	
	<i>stenochrysis</i> (Warren, 1913)	
	<i>zosimi</i> (Hübner, 1822)	
	<i>Macdunnoughia</i> Kostrowicki, 1961	
	<i>confusa</i> (Stephens, 1850)	
	<i>Plusia</i> Ochsenheimer, 1816	
	<i>festucae</i> (Linnaeus, 1758)	
	<i>putnami</i> (Grote, 1873)	
	<i>Autographa</i> Hübner, 1821	
	<i>gamma</i> (Linnaeus, 1758)	
	<i>macrogamma</i> (Eversmann, 1842) 232	
	<i>mandarina</i> (Freyer, 1845)	
	<i>pulchrina</i> (Haworth, 1809)	
	<i>buraetica</i> (Staudinger, 1892)	
	<i>jota</i> (Linnaeus, 1758)	
	<i>bractea</i> (D. & S., 1775)	
	<i>excelsa</i> (Kretschmar, 1862)	
	<i>Plusidia</i> Butler, 1879	
	<i>cheiranthi</i> (Tauscher, 1809) 233	
	<i>Syngrapha</i> Hübner, 1821	
	<i>microgamma</i> (Hübner, 1823)	
	<i>interrogationis</i> (Linnaeus, 1758)	
	<i>Trichoplusia</i> McDunnough, 1944	
	<i>ni</i> (Hübner, 1803)	
	<i>Abrostola</i> Ochsenheimer, 1816	
	<i>tripartita</i> (Hufnagel, 1766)	
	<i>asclepiadis</i> (D. & S., 1775)	
	<i>triplasia</i> (Linnaeus, 1758)	

	Acontiinae	
	<i>Emmelia</i> Hübner, 1821	
	<i>trabealis</i> (Scopoli, 1763)	
	Eustrotiinae	
	<i>Protodeltote</i> Ueda, 1984	
	<i>pygarga</i> (Hufnagel, 1766)	
	<i>Deltote</i> Reichenbach, 1817	
	<i>uncula</i> (Clerck, 1759)	
	<i>bankiana</i> (Fabricius, 1775)	
	<i>Pseudeustrotia</i> Warren, 1913	
	<i>candidula</i> (D. & S., 1775)	
	<i>Eublemma</i> Hübner, 1821	
	<i>minutatatum</i> (Fabricius, 1794)	
	<i>Trisateles</i> Tams, 1939	
	<i>emortualis</i> (D. & S., 1775)	
	Cuculliinae	
	<i>Cucullia</i> Schrank, 1802	
	<i>fraudatrix</i> Eversmann, 1837	
	<i>absinthii</i> (Linnaeus, 1761)	
	<i>argentea</i> (Hufnagel, 1766)	
	<i>artemisiae</i> (Hufnagel, 1766)	
	<i>praecana</i> Eversmann, 1843	
	<i>lactucae</i> (D. & S., 1775)	
	<i>lucifuga</i> (D. & S., 1775)	
	<i>umbratica</i> (Linnaeus, 1758)	
	<i>chamomillae</i> (D. & S., 1775)	
	<i>gnaphalii</i> (Hübner, 1813)	
	<i>asteris</i> (D. & S., 1775)	
	<i>scrophulariae</i> (D. & S., 1775)	
	<i>tychnitis</i> (Rambur, 1833)	
	<i>Calophasia</i> Stephens, 1829	
	<i>lunula</i> (Hufnagel, 1766)	
	Amphipyriinae	
	<i>Amphipyra</i> Ochseneimer, 1816	
	<i>pyramidea</i> (Linnaeus, 1758)	
	<i>berbera</i> Rungs, 1949	
	<i>perflua</i> (Fabricius, 1787)	
	<i>tragopoginis</i> (Clerck, 1759)	

	Psaphidinae	
	<i>Brachionycha</i> Hübner, 1819	
	<i>nubeculosa</i> (Esper, 1785)	
	Dilobinae	
	<i>Diloba</i> Boisduval, 1840	
	<i>caeruleocephala</i> (Linnaeus, 1758)	
	Stiriinae	
	<i>Panemeria</i> Hübner, 1823	
	<i>tenebrata</i> (Scopoli, 1763)	
	Heliothinae	
	<i>Schinia</i> Hübner, 1823	
	<i>scutosa</i> (D. & S., 1775)	
	<i>Heliothis</i> Ochsenheimer, 1816	
	<i>viriplaca</i> (Hufnagel, 1766)	
	<i>maritima</i> Graslin, 1855	
	<i>ononis</i> (D. & S., 1775)	
	<i>peltigera</i> (D. & S., 1775)	
	<i>Helicoverpa</i> Hardwick, 1965	
	<i>armigera</i> (Hübner, 1808)	
	<i>Pyrrhia</i> Hübner, 1821	
	<i>umbra</i> (Hufnagel, 1766)	
	Hadeninae	
	<i>Elaphria</i> Hübner, 1821	
	<i>venustula</i> (Hübner, 1790)	
	<i>Caradrina</i> Ochsenheimer, 1816	
	<i>morpheus</i> (Hufnagel, 1766)	
	<i>Platyperigea</i> Smith, 1894	
	<i>montana</i> (Bremer, 1861)	
	<i>petraea</i> (Tengström, 1868)	
	<i>kadenii</i> (Freyer, 1836)	234
	<i>Paradrina</i> Boursin, 1937	
	<i>selini</i> (Boisduval, 1840)	
	<i>clavipalpis</i> (Scopoli, 1763)	
	<i>Hoploadrina</i> Boursin, 1937	
	<i>octogenaria</i> (Goeze, 1781)	
	<i>blanda</i> (D. & S., 1775)	
	<i>respersa</i> (D. & S., 1775)	

	<i>Charanyca</i> Billberg, 1820	
	<i>trigrammica</i> (Hufnagel, 1766)	
	<i>Spodoptera</i> Guenée, 1852	
	<i>exigua</i> (Hübner, 1808)	
	<i>Chilodes</i> Herrich-Schäffer, 1849	
	<i>maritima</i> (Tauscher, 1806)	
	<i>Athetis</i> Hübner, 1821	
	<i>gluteosa</i> (Treitschke, 1835)	
	<i>pallustris</i> (Hübner, 1808)	
	<i>Proxenus</i> Herrich-Schäffer, 1850	
	<i>lepigone</i> (Möschler, 1860)	
	<i>Dypterygia</i> Stephens, 1829	
	<i>scabruscula</i> (Linnaeus, 1758)	
	<i>Rusina</i> Stephens, 1829	
	<i>ferruginea</i> (Esper, 1785)	
	<i>Thalpophila</i> Hübner, 1820	
	<i>matura</i> (Hufnagel, 1766)	
	<i>Trachea</i> Ochsenheimer, 1816	
	<i>atriplicis</i> (Linnaeus, 1758)	
	<i>Euplexia</i> Stephens, 1829	
	<i>lucipara</i> (Linnaeus, 1758)	
	<i>Phlogophora</i> Treitschke, 1825	
	<i>meticulosa</i> (Linnaeus, 1758)	
	<i>Hyppa</i> Duponchel, 1845	
	<i>rectilinea</i> (Esper, 1788)	
	<i>Xylomoia</i> Staudinger, 1892	
	<i>strix</i> Mikkola, 1980	235
	<i>Actinotia</i> Hübner, 1821	
	<i>polyodon</i> (Clerck, 1759)	
	<i>Eucarta</i> Lederer, 1857	
	<i>virgo</i> (Treitschke, 1835)	236
	<i>Ipimorpha</i> Hübner, 1821	
	<i>retusa</i> (Linnaeus, 1761)	
	<i>subtusa</i> (D. & S., 1775)	
	<i>contusa</i> (Freyer, 1849)	
	<i>Enargia</i> Hübner, 1821	
	<i>paleacea</i> (Esper, 1788)	

	<i>Parastichtis</i> Hübner, 1821	
	<i>suspecta</i> (Hübner, 1817)	
	<i>ypsillon</i> (D. & S., 1775)	
	<i>Mesogona</i> Boisduval, 1840	
	<i>oxalina</i> (Hübner, 1803)	
	<i>Dicycla</i> Guenée, 1852	
	<i>oo</i> (Linnaeus, 1758)	237
	<i>Cosmia</i> Ochsenheimer, 1816	
	<i>affinis</i> (Linnaeus, 1767)	238
	<i>pyralina</i> (D. & S., 1775)	
	<i>trapezina</i> (Linnaeus, 1758)	
	<i>Tiliacea</i> Tutt, 1896	
	<i>citrago</i> (Linnaeus, 1758)	
	<i>aurago</i> (D. & S., 1775)	
	<i>Xanthia</i> Ochsenheimer, 1816	
	<i>togata</i> (Esper, 1788)	
	<i>icteritia</i> (Hufnagel, 1766)	
	<i>gilvago</i> (D. & S., 1775)	
	<i>ocellaris</i> (Borkhausen, 1792)	239
	<i>Agrochola</i> Hübner, 1821	
	<i>circellaris</i> (Hufnagel, 1766)	
	<i>lota</i> (Clerck, 1759)	
	<i>macilenta</i> (Hübner, 1809)	
	<i>helvola</i> (Linnaeus, 1758)	
	<i>litura</i> (Linnaeus, 1758)	
	<i>Eupsilia</i> Hübner, 1821	
	<i>transversa</i> (Hufnagel, 1866)	
	<i>Conistra</i> Hübner, 1821	
	<i>vaccinii</i> (Linnaeus, 1761)	
	<i>rubiginea</i> (D. & S., 1775)	
	<i>erythrocephala</i> (D. & S., 1775)	
	<i>Dasypolia</i> Guenée, 1852	
	<i>templi</i> (Thunberg, 1792)	
	<i>Brachylomia</i> Hampson, 1906	
	<i>viminalis</i> (Fabricius, 1776)	
	<i>Lithomoia</i> Hübner, 1821	
	<i>solidaginis</i> (Hübner, 1803)	

	<i>Lithophane</i> Hübner, 1821	
	<i>socia</i> (Hufnagel, 1766)	
	<i>ornitopus</i> (Hufnagel, 1766)	
	<i>furcifera</i> (Hufnagel, 1766)	
	<i>lamda</i> (Fabricius, 1787)	
	<i>consocia</i> (Borkhausen, 1792)	
	<i>Xylena</i> Ochsenheimer, 1816	
	<i>vetusta</i> (Hübner, 1813)	
	<i>exsoleta</i> (Linnaeus, 1758)	
	<i>Allophyes</i> Tams, 1942	
	<i>oxyacanthae</i> (Linnaeus, 1758)	
	<i>Dichonia</i> Hübner, 1821	
	<i>aprilina</i> (Linnaeus, 1758)	
	<i>Dryobotodes</i> Warren, 1911	
	<i>eremita</i> (Fabricius, 1775)	
	<i>Antitype</i> Hübner, 1821	
	<i>chi</i> (Linnaeus, 1758)	
	<i>Ammoconia</i> Lederer, 1857	
	<i>caecimacula</i> (D. & S., 1775)	
	<i>Polymixis</i> Hübner, 1820	
	<i>polymita</i> (Linnaeus, 1761)	
	<i>flavicincta</i> (D. & S., 1775)	
	<i>gemmea</i> (Treitschke, 1825)	
	<i>Blepharita</i> Hampson, 1907	
	<i>satura</i> (D. & S., 1775)	
	<i>amica</i> (Treitschke, 1825)	
	<i>Mniotype</i> Franclemont, 1941	
	<i>adusta</i> (Esper, 1790)	
	<i>bathensis</i> (Lutzau, 1901)	
	<i>Apamea</i> Ochsenheimer, 1816	
	<i>monoglypha</i> (Hufnagel, 1766)	
	<i>lithoxylaea</i> (D. & S., 1775)	
	<i>sublustris</i> (Esper, 1788)	
	<i>crenata</i> (Hufnagel, 1766)	
	<i>epomidion</i> (Haworth, 1809)	
	<i>lateritia</i> (Hufnagel, 1766)	
	<i>furva</i> (D. & S., 1775)	
	<i>rubrireana</i> (Treitschke, 1825)	
	<i>oblonga</i> (Haworth, 1809)	
	<i>remissa</i> (Hübner, 1809)	
	<i>unanimis</i> (Hübner, 1813)	
	<i>illyria</i> Freyer, 1846	
	<i>anceps</i> (D. & S., 1775)	
	<i>sordens</i> (Hufnagel, 1766)	
	<i>scolopacina</i> (Esper, 1788)	
	<i>ophiogramma</i> (Esper, 1794)	

	<i>Eremobina</i> McDunnough, 1927	
	<i>pabulatricula</i> (Brahm, 1791)	240
	<i>Oligia</i> Hübner, 1821	
	<i>strigilis</i> (Linnaeus, 1758)	
	<i>versicolor</i> (Borkhausen, 1792)	
	<i>latruncula</i> (D. & S., 1775)	
	<i>fasciuncula</i> (Haworth, 1809)	
	<i>Mesoligia</i> Boursin, 1965	
	<i>furuncula</i> (D. & S., 1775)	
	<i>literosa</i> (Haworth, 1809)	
	<i>Mesapamea</i> Heinicke, 1959	
	<i>secalis</i> (Linnaeus, 1758)	
	<i>secalella</i> Remm, 1983	
	<i>remmi</i> Rezbanyai-Reser, 1985	241
	<i>Photedes</i> Lederer, 1857	
	<i>captiuncula</i> (Treitschke, 1825)	
	<i>minima</i> (Haworth, 1809)	
	<i>Eremobia</i> Stephens, 1829	
	<i>ochroleuca</i> (D. & S., 1775)	242
	<i>Luperina</i> Boisduval, 1829	
	<i>testacea</i> (D. & S., 1775)	
	<i>zollikoferi</i> (Freyer, 1836)	243
	<i>Rhizedra</i> Warren, 1911	
	<i>lutosa</i> (Hübner, 1803)	
	<i>Amphipoea</i> Billberg, 1820	
	<i>oculea</i> (Linnaeus, 1761)	
	<i>fucosa</i> (Freyer, 1830)	
	<i>lucens</i> (Freyer, 1845)	
	<i>crinanensis</i> (Burrows, 1908)	
	<i>Hydraecia</i> Guenée, 1841	
	<i>micacea</i> (Esper, 1789)	
	<i>ultima</i> Holst, 1965	
	<i>nordstroemi</i> Horke, 1952	
	<i>petasitis</i> Doubleday, 1847	
	<i>Gortyna</i> Ochsheimer, 1816	
	<i>flavago</i> (D. & S., 1775)	
	<i>Calamia</i> Hübner, 1821	
	<i>tridens</i> (Hufnagel, 1766)	
	<i>Staurophora</i> Reichenbach, 1817	
	<i>celsia</i> (Linnaeus, 1758)	
	<i>Celaena</i> Stephens, 1829	
	<i>haworthii</i> (Curtis, 1829)	
	<i>leucostigma</i> (Hübner, 1808)	

	<i>Nonagria</i> Ochsenheimer, 1816	
	<i>typhae</i> (Thunberg, 1784)	
	<i>Phragmatiphila</i> Hampson, 1908	
	<i>nexa</i> (Hübner, 1808)	
	<i>Archanara</i> Walker, 1866	
	<i>geminipuncta</i> (Haworth, 1809)	
	<i>neurica</i> (Hübner, 1808)	244
	<i>dissoluta</i> (Treitschke, 1825)	
	<i>sparganii</i> (Esper, 1790)	
	<i>algae</i> (Esper, 1789)	
	<i>Sedina</i> Urbahn, 1933	
	<i>buettneri</i> (E. Hering, 1858)	
	<i>Arenostola</i> Hampson, 1910	
	<i>phragmitidis</i> (Hübner, 1803)	
	<i>Chortodes</i> Tutt, 1897	
	<i>extremus</i> (Hübner, 1809)	
	<i>fluxus</i> (Hübner, 1809)	
	<i>pygmina</i> (Haworth, 1809)	
	<i>elymi</i> (Treitschke, 1825)	
	<i>brevilinea</i> (Fenn, 1864)	
	<i>Anarta</i> Ochsenheimer, 1816	
	<i>trifolii</i> (Hufnagel, 1766)	
	<i>myrtilli</i> (Linnaeus, 1761)	
	<i>Coranarta</i> Beck, 1991	
	<i>cordigera</i> (Thunberg, 1788)	
	<i>Lacanobia</i> Billberg, 1820	
	<i>w-latinum</i> (Hufnagel, 1766)	
	<i>splendens</i> (Hübner, 1808)	
	<i>oleracea</i> (Linnaeus, 1758)	
	<i>thalassina</i> (Hufnagel, 1766)	
	<i>contigua</i> (D. & S., 1775)	
	<i>suasa</i> (D. & S., 1775)	
	<i>Hada</i> Billberg, 1820	
	<i>plebeja</i> (Linnaeus, 1761)	
	<i>Aetheria</i> Hübner, 1821	
	<i>bicolorata</i> (Hufnagel, 1766)	
	<i>Hadena</i> Schrank, 1802	
	<i>capsincola</i> (D & S., 1775)	
	<i>compta</i> (D. & S., 1775)	
	<i>confusa</i> (Hufnagel, 1766)	
	<i>albimacula</i> (Borkhausen, 1792)	
	<i>filograna</i> (Esper, 1788)	
	<i>perplexa</i> (D. & S., 1775)	

	<i>Sideridis</i> Hübner, 1821	
	<i>rivularis</i> (Fabricius, 1775)	
	<i>Heliophobus</i> Boisduval, 1829	
	<i>reticulatus</i> (Goeze, 1781)	
	<i>Conisania</i> Hampson, 1905	
	<i>luteago</i> (D. & S., 1775)	
	<i>Melanchnra</i> Hübner, 1820	
	<i>persicariae</i> (Linnaeus, 1761)	
	<i>psi</i> (Linnaeus, 1758)	
	<i>Manestra</i> Ochsenheimer, 1816	
	<i>brassicae</i> (Linnaeus, 1758)	
	<i>Papestra</i> Sukhareva, 1973	
	<i>biren</i> (Goeze, 1781)	
	<i>Polia</i> Ochsenheimer, 1816	
	<i>bombycina</i> (Hufnagel, 1766)	
	<i>hepatica</i> (Clerck, 1759)	
	<i>nebulosa</i> (Hufnagel, 1766)	
	<i>Mythimna</i> Ochsenheimer, 1816	
	<i>turca</i> (Linnaeus, 1761)	
	<i>conigera</i> (D. & S., 1775)	
	<i>ferrago</i> (Fabricius, 1787)	
	<i>vitellina</i> (Hübner, 1808)	245
	<i>pudorina</i> (D. & S., 1775)	
	<i>straminea</i> (Treitschke, 1825)	
	<i>impura</i> (Hübner, 1808)	
	<i>pallens</i> (Linnaeus, 1758)	
	<i>obsoleta</i> (Hübner, 1803)	
	<i>comma</i> (Linnaeus, 1761)	
	<i>flammea</i> (Curtis, 1828)	
	<i>loreyi</i> (Duponchel, 1827)	
	<i>unipuncta</i> (Haworth, 1809)	
	<i>Orthosia</i> Ochsenheimer, 1816	
	<i>incerta</i> (Hufnagel, 1766)	
	<i>gothica</i> (Linnaeus, 1758)	
	<i>cruda</i> (D. & S., 1775)	
	<i>miniosa</i> (D. & S., 1775)	
	<i>opima</i> (Hübner, 1809)	
	<i>populeti</i> (Fabricius, 1775)	
	<i>cerasi</i> (Fabricius, 1775)	
	<i>gracilis</i> (D. & S., 1775)	
	<i>Anorthoa</i> Berio, 1980	
	<i>munda</i> (D. & S., 1775)	

	<i>Panolis</i> Hübner, 1821	
	<i>flammea</i> (D. & S., 1775)	
	<i>Egira</i> Duponchel, 1845	
	<i>conspicillaris</i> (Linnaeus, 1758)	246
	<i>Cerapteryx</i> Curtis, 1833	
	<i>graminis</i> (Linnaeus, 1758)	
	<i>Tholera</i> Hübner, 1821	
	<i>cespitis</i> (D. & S., 1775)	
	<i>decimalis</i> (Poda, 1761)	
	<i>Pachetra</i> Guenée, 1841	
	<i>sagittigera</i> (Hufnagel, 1766)	
	<i>Eriopygodes</i> Hampson, 1905	
	<i>imbecilla</i> (Fabricius, 1794)	
	<i>Lasionycta</i> Aurivillius, 1892	
	<i>proxima</i> (Hübner, 1809)	
	Noctuinae	
	<i>Axylia</i> Hübner, 1821	
	<i>putris</i> (Linnaeus, 1761)	
	<i>Ochropleura</i> Hübner, 1821	
	<i>pecta</i> (Linnaeus, 1761)	
	<i>Diarsia</i> Hübner, 1821	
	<i>mendica</i> (Fabricius, 1775)	
	<i>dahlia</i> (Hübner, 1813)	
	<i>brunnea</i> (D. & S., 1775)	
	<i>rubi</i> (Vieweg, 1790)	
	<i>Noctua</i> Linnaeus, 1758	
	<i>pronuba</i> Linnaeus, 1758	
	<i>orbona</i> (Hufnagel, 1766)	
	<i>interposita</i> (Hübner, 1790)	247
	<i>comes</i> Hübner, 1813	
	<i>fimbriata</i> (Schreber, 1759)	
	<i>janthina</i> (D. & S., 1775)	
	<i>janthe</i> (Borkhausen, 1792)	
	<i>Epilecta</i> Hübner, 1821	
	<i>linogrisea</i> (D. & S., 1775)	
	<i>Lycophotia</i> Hübner, 1820	
	<i>porphyrea</i> (D. & S., 1775)	
	<i>Chersotis</i> Boisduval, 1840	
	<i>andereggii</i> (Boisduval, 1832)	
	<i>cuprea</i> (D. & S., 1775)	

	<i>Rhyacia</i> Hübner, 1821	
	<i>simulans</i> (Hufnagel, 1766)	
	<i>Epipsilia</i> Hübner, 1821	
	<i>grisescens</i> (Fabricius, 1794)	248
	<i>Paradiarsia</i> McDunnough, 1929	
	<i>glareosa</i> (Esper, 1788)	
	<i>punicea</i> (Hübner, 1803)	
	<i>Netrocerocora</i> Bartel, 1903	
	<i>quadrangula</i> (Eversmann, 1844)	249
	<i>Eurois</i> Hübner, 1821	
	<i>occulta</i> (Linnaeus, 1758)	
	<i>Spaelotis</i> Boisduval, 1840	
	<i>ravida</i> (D. & S., 1775)	
	<i>suecica</i> (Aurivillius, 1890)	250
	<i>Opigena</i> Boisduval, 1840	
	<i>polygona</i> (D. & S., 1775)	
	<i>Graphiphora</i> Ochsenheimer, 1816	
	<i>augur</i> (Fabricius, 1775)	
	<i>Eugnorisma</i> Boursin, 1946	
	<i>depunctum</i> (Linnaeus, 1761)	
	<i>Xestia</i> Hübner, 1818	
	<i>speciosa</i> (Hübner, 1813)	
	<i>sincera</i> (Herrich-Schäffer, 1851)	251
	<i>alpicola</i> (Zetterstedt, 1839)	
	<i>c-nigrum</i> (Linnaeus, 1758)	
	<i>ditrapezium</i> (D. & S., 1775)	252
	<i>triangulum</i> (Hufnagel, 1766)	
	<i>ashworthii</i> (Doubleday, 1855)	
	<i>baja</i> (D. & S., 1775)	
	<i>rhomboidea</i> (Esper, 1790)	
	<i>castanea</i> (Esper, 1798)	
	<i>collina</i> (Boisduval, 1840)	
	<i>sexstrigata</i> (Haworth, 1809)	
	<i>xanthographa</i> (D. & S., 1775)	
	<i>agathina</i> (Duponchel, 1827)	253
	<i>Eugraphe</i> Hübner, 1821	
	<i>sigma</i> (D. & S., 1775)	
	<i>Coenophila</i> Stephens, 1850	
	<i>subrosea</i> (Stephens, 1829)	
	<i>Cerastis</i> Ochsenheimer, 1816	
	<i>rubricosa</i> (D. & S., 1775)	

	<i>leucographa</i> (D. & S., 1775)	
	<i>Naenia</i> Stephens, 1827	
	<i>typica</i> (Linnaeus, 1758)	
	<i>Anaplectoides</i> McDunnough, 1929	
	<i>prasinus</i> (D. & S., 1775)	
	<i>Cryptocala</i> Benjamin, 1921	
	<i>chardinyi</i> (Boisduval, 1829)	
	<i>Protolampra</i> McDunnough, 1929	
	<i>sobrina</i> (Duponchel, 1843)	
	<i>Peridroma</i> Hübner, 1821	
	<i>saucia</i> (Hübner, 1808)	254
	<i>Actebia</i> Stephens, 1829	
	<i>praecox</i> (Linnaeus, 1758)	
	<i>fennica</i> (Tauscher, 1837)	
	<i>Euxoa</i> Hübner, 1821	
	<i>recussa</i> (Hübner, 1817)	
	<i>nigricans</i> (Linnaeus, 1761)	
	<i>nigrofusca</i> (Esper, 1783)	
	<i>eruta</i> (Hübner, 1827)	
	<i>tritici</i> (Linnaeus, 1761)	
	<i>obelisca</i> (D. & S., 1775)	
	<i>cursoria</i> (Hufnagel, 1766)	
	<i>ochrogaster</i> (Guenée, 1852)	255
	<i>Agrotis</i> Ochsenheimer, 1816	
	<i>ipsilon</i> (Hufnagel, 1766)	
	<i>exclamationis</i> (Linnaeus, 1758)	
	<i>clavis</i> (Hufnagel, 1766)	
	<i>segetum</i> (D. & S., 1775)	
	<i>vestigialis</i> (Hufnagel, 1766)	
	<i>cinerea</i> (D. & S., 1775)	
	Pantheidae	
	<i>Panthea</i> Hübner, 1820	
	<i>coenobita</i> (Esper, 1785)	
	<i>Trichosea</i> Grote, 1875	
	<i>ludifica</i> (Linnaeus, 1758)	256
	<i>Colocasia</i> Ochsenheimer, 1816	
	<i>coryli</i> (Linnaeus, 1758)	

	Lymantriidae	
	<i>Lymantria</i> Hübner, 1819	
	<i>monacha</i> (Linnaeus, 1758)	
	<i>dispar</i> (Linnaeus, 1758)	257
	<i>Calliteara</i> Butler, 1881	
	<i>pubibunda</i> (Linnaeus, 1758)	
	<i>abietis</i> (D. & S., 1775)	
	<i>Dicallomera</i> Butler, 1881	
	<i>fascelina</i> (Linnaeus, 1758)	
	<i>Gynaephora</i> Hübner, 1822	
	<i>selenitica</i> (Esper, 1789)	
	<i>Orgyia</i> Ochsenheimer, 1810	
	<i>recens</i> (Hübner, 1819)	
	<i>antiqua</i> (Linnaeus, 1758)	
	<i>antiquoides</i> (Hübner, 1822)	
	<i>Euproctis</i> Hübner, 1819	
	<i>chrysorrhoea</i> (Linnaeus, 1758)	258
	<i>similis</i> (Fuessly, 1775)	
	<i>Laelia</i> Stephens, 1828	
	<i>coenosa</i> (Hübner, 1808)	259
	<i>Leucoma</i> Hübner, 1822	
	<i>salicis</i> (Linnaeus, 1758)	
	<i>Arctornis</i> Germar, 1810	
	<i>l-nigrum</i> (Müller, 1764)	
	Nolidae	
	Nolinae	
	<i>Meganola</i> Dyar, 1898	
	<i>strigula</i> (D. & S., 1775)	
	<i>albula</i> (D. & S., 1775)	260
	<i>Nola</i> Leach, 1815	
	<i>cucullatella</i> (Linnaeus, 1758)	
	<i>confusalis</i> (Herrich-Schäffer, 1847)	
	<i>aerugula</i> (Hübner, 1793)	
	<i>karelica</i> (Tengström, 1869)	
	Chloephorinae	
	<i>Nycteola</i> Hübner, 1822	
	<i>revayana</i> (Scopoli, 1772)	
	<i>degenerana</i> (Hübner, 1799)	
	<i>asiatica</i> (Krulikovsky, 1904)	
	<i>siculana</i> (Fuchs, 1899)	261

	<i>Pseudoips</i> Hübner, 1822	
	<i>prasinanus</i> (Linnaeus, 1758)	
	Eariadinae	
	<i>Earias</i> Hübner, 1825	
	<i>clorana</i> (Linnaeus, 1761)	
	<i>vernana</i> (Fabricius, 1787)	262
	Arctiidae	
	Lithosiinae	
	<i>Nudaria</i> Haworth, 1809	
	<i>mundana</i> (Linnaeus, 1761)	
	<i>Thumatha</i> Walker, 1866	
	<i>senex</i> (Hübner, 1808)	
	<i>Mitochrista</i> Hübner, 1819	
	<i>miniata</i> (Forster, 1771)	
	<i>Cybosia</i> Hübner, 1819	
	<i>mesomella</i> (Linnaeus, 1758)	
	<i>Pelosia</i> Hübner, 1819	
	<i>muscerda</i> (Hufnagel, 1766)	
	<i>obtusa</i> (Herrich-Schäffer, 1847)	263
	<i>Atolmis</i> Hübner, 1819	
	<i>rubricollis</i> (Linnaeus, 1758)	
	<i>Lithosia</i> Fabricius, 1798	
	<i>quadra</i> (Linnaeus, 1758)	
	<i>Eilema</i> Hübner, 1819	
	<i>depressum</i> (Esper, 1787)	
	<i>griseolum</i> (Hübner, 1803)	
	<i>lurideolum</i> (Zincken, 1817)	
	<i>complanum</i> (Linnaeus, 1758)	
	<i>pygmaeolum</i> (Doubleday, 1847)	
	<i>lutarellum</i> (Linnaeus, 1758)	
	<i>sororculum</i> (Hufnagel, 1766)	
	<i>Setema</i> de Freina & Witt, 1984	
	<i>cereolum</i> (Hübner, 1803)	
	<i>Setina</i> Schrank, 1802	
	<i>irrorella</i> (Linnaeus, 1758)	

Arctiinae		
	<i>Spiris</i> Hübner, 1819	
	<i>striata</i> (Linnaeus, 1758)	
	<i>Coscinia</i> Hübner, 1819	
	<i>cribraria</i> (Linnaeus, 1758)	
	<i>Phragmatobia</i> Stephens, 1828	
	<i>fuliginosa</i> (Linnaeus, 1758)	
	<i>luctifera</i> (D. & S., 1775)	
	<i>Parasemia</i> Hübner, 1820	
	<i>plantaginis</i> (Linnaeus, 1758)	
	<i>Spilosoma</i> Curtis, 1825	
	<i>lutea</i> (Hufnagel, 1766)	
	<i>lubricipeda</i> (Linnaeus, 1758)	
	<i>urticae</i> (Esper, 1789)	
	<i>Hyphantria</i> Harris, 1841	
	<i>cunea</i> (Drury, 1773)	
	<i>Diaphora</i> Stephens, 1827	
	<i>mendica</i> (Clerck, 1759)	
	<i>Rhyparia</i> Hübner, 1820	
	<i>purpurata</i> (Linnaeus, 1758)	
	<i>Diacrisia</i> Hübner, 1819	
	<i>sannio</i> (Linnaeus, 1758)	
	<i>Hyphoraia</i> Hübner, 1820	
	<i>aulica</i> (Linnaeus, 1758)	
	<i>Pericallia</i> Hübner, 1820	
	<i>matronula</i> (Linnaeus, 1758)	264
	<i>Arctia</i> Schrank, 1802	
	<i>caja</i> (Linnaeus, 1758)	
	<i>festiva</i> (Hufnagel, 1766)	265
	<i>Callimorpha</i> Latreille, 1809	
	<i>dominula</i> (Linnaeus, 1758)	
	<i>Tyria</i> Hübner, 1819	
	<i>jacobaeae</i> (Linnaeus, 1758)	